

Accepted Manuscript

Title: Separation of terbutaline enantiomers in capillary electrophoresis with cyclodextrin-type chiral selectors and investigation of structure of selector-selectand complexes

Authors: Ann Gogolashvili, Elene Tatunashvili, Lali Chankvetadze, Tamas Sohajda, Julianna Szeman, Mehmet Gumustas, Sibel A. Ozkan, Antonio Salgado, Bezhan Chankvetadze



PII: S0021-9673(18)30993-2
DOI: <https://doi.org/10.1016/j.chroma.2018.08.012>
Reference: CHROMA 359608

To appear in: *Journal of Chromatography A*

Received date: 3-6-2018
Revised date: 29-7-2018
Accepted date: 3-8-2018

Please cite this article as: Gogolashvili A, Tatunashvili E, Chankvetadze L, Sohajda T, Szeman J, Gumustas M, Ozkan SA, Salgado A, Chankvetadze B, Separation of terbutaline enantiomers in capillary electrophoresis with cyclodextrin-type chiral selectors and investigation of structure of selector-selectand complexes, *Journal of Chromatography A* (2018), <https://doi.org/10.1016/j.chroma.2018.08.012>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Separation of terbutaline enantiomers in capillary electrophoresis with cyclodextrin-type chiral selectors and investigation of structure of selector-selectand complexes

Ann Gogolashvili¹, Elene Tatunashvili¹, Lali Chankvetadze¹, Tamas Sohajda², Julianna Szeman², Mehmet Gumustas³, Sibel A. Ozkan⁴, Antonio Salgado⁵, Bezhan Chankvetadze^{1*}

- 1) Institute of Physical and Analytical Chemistry, School of Exact and Natural Sciences, Tbilisi State University, Chavchavadze Ave 3, 0179 Tbilisi, Georgia
- 2) Cyclolab Ltd., Budapest, Hungary
- 3) Ankara University, Institute of Forensic Sciences, Department of Forensic Toxicology, Ankara, Turkey
- 4) Ankara University, Faculty of Pharmacy, Department of Analytical Chemistry, Anadolu Ave, 06100 Ankara, Turkey
- 5) NMR Spectroscopy Centre (CERMN), CAI Químicas, Faculty of Pharmacy, University of Alcalá, E-28805 Alcalá de Henares, Madrid, Spain

*) Corresponding Author. Tel: +995 322 290648 or +49 251 2006047, E-mail:

jpba_bezhan@yahoo.com

Highlights

- Affinity pattern of terbutaline enantiomers towards cyclodextrins
- Structure of tebutaline-cyclodextrin complexes in solution
- Correlations between CE and NMR spectroscopy

Download English Version:

<https://daneshyari.com/en/article/10154476>

Download Persian Version:

<https://daneshyari.com/article/10154476>

[Daneshyari.com](https://daneshyari.com)