

Author's Accepted Manuscript

Analytical approach for the simultaneous determination of quinolones in edible animal products. Modeling pH–modulated fluorescence excitation–emission matrices four–way arrays

Ariana P. Pagani, Gabriela A. Ibañez



PII: S0039-9140(18)30923-8
DOI: <https://doi.org/10.1016/j.talanta.2018.09.015>
Reference: TAL19029

To appear in: *Talanta*

Received date: 4 June 2018
Revised date: 4 September 2018
Accepted date: 5 September 2018

Cite this article as: Ariana P. Pagani and Gabriela A. Ibañez, Analytical approach for the simultaneous determination of quinolones in edible animal products. Modeling pH–modulated fluorescence excitation–emission matrices four–way arrays, *Talanta*, <https://doi.org/10.1016/j.talanta.2018.09.015>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Analytical approach for the simultaneous determination of quinolones in edible animal products. Modeling pH–modulated fluorescence excitation–emission matrices four–way arrays.

Ariana P. Pagani, Gabriela A. Ibañez

Departamento de Química Analítica, Facultad de Ciencias Bioquímicas y Farmacéuticas, Universidad Nacional de Rosario, and Instituto de Química Rosario (IQUIR), Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Suipacha 531, Rosario S2002LRK, Argentina

Download English Version:

<https://daneshyari.com/en/article/10154522>

Download Persian Version:

<https://daneshyari.com/article/10154522>

[Daneshyari.com](https://daneshyari.com)