


Accepted Manuscript

Evaluation of surface properties of low density polyethylene (LDPE) films tailored by atmospheric pressure non-thermal plasma (APNTP) assisted co-polymerization and immobilization of chitosan for improvement of antifouling properties

K.N. Pandiyaraj, M.C. Ramkumar, A. Arun Kumar, P.V.A. Padmanabhan, P. Moorthi, Avi Bendavid, Pieter Cools, N. De Geyter, R. Morent, Vinay Kumar, P. Gopinath, Pi-G Su, R.R. Deshmukh



PII: S0928-4931(17)32484-0
DOI: doi:[10.1016/j.msec.2018.08.062](https://doi.org/10.1016/j.msec.2018.08.062)
Reference: MSC 8856

To appear in: *Materials Science & Engineering C*

Received date: 29 June 2017
Revised date: 25 June 2018
Accepted date: 30 August 2018

Please cite this article as: K.N. Pandiyaraj, M.C. Ramkumar, A. Arun Kumar, P.V.A. Padmanabhan, P. Moorthi, Avi Bendavid, Pieter Cools, N. De Geyter, R. Morent, Vinay Kumar, P. Gopinath, Pi-G Su, R.R. Deshmukh, Evaluation of surface properties of low density polyethylene (LDPE) films tailored by atmospheric pressure non-thermal plasma (APNTP) assisted co-polymerization and immobilization of chitosan for improvement of antifouling properties. *Msc* (2018), doi:[10.1016/j.msec.2018.08.062](https://doi.org/10.1016/j.msec.2018.08.062)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Evaluation of surface properties of low density polyethylene (LDPE) films tailored by atmospheric pressure non-thermal plasma (APNTP) assisted co-polymerization and immobilization of chitosan for improvement of antifouling properties.

K.N. Pandiyaraj^{a*}, M.C.Ramkumar^a, A.Arun Kumar^a, P.V.A.Padmanabhan^a, P.Moorthi, Avi^b Bendavid^c, Pieter Cools^d, N. De Geyter^d, R. Morent^d, Vinay Kumar^e, P.Gopinath^e, Pi-G Su^f, R.R. Deshmukh^g

^aSurface Engineering Laboratory, Department of Physics, Sri Shakthi Institute of Engineering and Technology, Coimbatore - 641062. India.

^bDepartment of Nano Technology, Sri Ramakrishna Engineering College, Vattamalaipalayam, Coimbatore-641022, India.

^bPSN College of Engineering and Technology, Tirunelveli-627152, Tamilnadu, India.

^cPlasma Processing & Deposition Team, CSIRO Manufacturing Flagship, Australia.

^dResearch Unit Plasma Technology (RUPT), Department of Applied Physics, Faculty of Engineering, Ghent University, Jozef Plateastraet 22, 9000 Ghent, Belgium.

^e Nanobiotechnology Laboratory, Centre for Nanotechnology, Indian Institute of Technology Roorkee, Roorkee, Uttarakhand-247667, India.

^fDepartment of Chemistry, Chinese Culture University, Taipei 111, Taiwan.

^gDepartment of Physics, Institute of Chemical Technology, Matunga, Mumbai 400 019, India.

***Corresponding author: E-mail: dr.knpr@gmail.com**

Phone : +91-9786452504

Download English Version:

<https://daneshyari.com/en/article/10155306>

Download Persian Version:

<https://daneshyari.com/article/10155306>

[Daneshyari.com](https://daneshyari.com)