Accepted Manuscript

Title: Melphalan-Based Reduced Intensity Conditioning is Associated with Favorable Disease Control and Acceptable Toxicities in Patients Older Than 70 with Hematologic Malignancies Undergoing Allogeneic Hematopoietic Stem Cell Transplantation

Author: Monzr M. Al Malki, Nitya Nathwani, Dongyun Yang, Saro Armenian, Sanjeet Dadwal, Jaroslava Salman, Sally Mokhtari, Thai Cao, Karamjeet Sandhu, Michelle Rouse, Matthew Mei, Haris Ali, Pablo Parker, Joseph Alvarnas, Eileen Smith, Margaret O. Donnell, Guido Marcucci, David Snyder, Auayporn Nademanee, Stephen J. Forman, Anthony Stein, Ryotaro Nakamura

PII: S1083-8791(18)30250-7
DOI: https://doi.org/10.1016/j.bbmt.2018.04.029
Reference: YBBMT 55114

To appear in: *Biology of Blood and Marrow Transplantation*

Received date: 1-3-2018
Accepted date: 29-4-2018

Please cite this article as: Monzr M. Al Malki, Nitya Nathwani, Dongyun Yang, Saro Armenian, Sanjeet Dadwal, Jaroslava Salman, Sally Mokhtari, Thai Cao, Karamjeet Sandhu, Michelle Rouse, Matthew Mei, Haris Ali, Pablo Parker, Joseph Alvarnas, Eileen Smith, Margaret O. Donnell, Guido Marcucci, David Snyder, Auayporn Nademanee, Stephen J. Forman, Anthony Stein, Ryotaro Nakamura, Melphalan-Based Reduced Intensity Conditioning is Associated with Favorable Disease Control and Acceptable Toxicities in Patients Older Than 70 with Hematologic Malignancies Undergoing Allogeneic Hematopoietic Stem Cell Transplantation, *Biology of Blood and Marrow Transplantation* (2018), https://doi.org/10.1016/j.bbmt.2018.04.029.

Melphalan-based reduced intensity conditioning is associated with favorable disease control and acceptable toxicities in patients older than 70 with hematologic malignancies undergoing allogeneic hematopoietic stem cell transplantation

Monzr M. Al Malki[1*], Nitya Nathwani[1]*, Dongyun Yang[2], Saro Armenian[3], Sanjeet Dadwal[4], Jaroslava Salman[5], Sally Mokhtari[6], Thai Cao[1], Karamjeet Sandhu[1], Michelle Rouse[7], Matthew Mei[1], Haris Ali[1], Pablo Parker[1], Joseph Alvarnas[1], Eileen Smith[1], Margaret O Donnell[1], Guido Marcucci[8], David Snyder[1], Auayporn Nademanee[1], Stephen J. Forman[1], Anthony Stein[1], Ryotaro Nakamura[1]

[1] Department of Hematology and Hematopoietic Stem Cell Transplantation, City of Hope, Duarte, CA;

[2] Department of Information Sciences, Division of Biostatistics, City of Hope, Duarte, CA;

[3] Department of Population Sciences, City of Hope, Duarte, CA

[4] Department of Infectious Disease, City of Hope, Duarte, CA

[5] Department of Psychology & Psychiatry, City of Hope, Duarte, CA

[6] Department of Clinical Translational Program Development, City of Hope, Duarte, CA

[7] Department of Clinical Social Work, City of Hope, Duarte, CA

[8] Department of Hematology and Hematopoietic Cell Transplantation, Gehr Family Center for Leukemia Research, City of Hope, Duarte, CA

* MMA and NN contributed equally to this manuscript as first authors

Running head: Favorable transplant outcomes in patients >70 years of age

Corresponding author: Monzr M Al Malki, M.D. Assistant Clinical Professor, Department of Hematology/HCT, City of Hope, 1500 E. Duarte Road, Duarte, CA 91101, phone: 626-218-2405; fax: 626-218-6116, email: malmalki@coh.org

Word count: abstract: 227, main text: 3444

Tables/Figures: 2 tables, 2 figures, and one supplementary table

Keywords: allogeneic stem cell transplantation

70 years and older patients

melphalan-based conditioning regimen