

www.elsevier.com/locate/yexcr

NMDA receptors inhibit axonal outgrowth by inactivating Akt and activating GSK-3β via calcineurin in cultured immature hippocampal neurons

Ying Wang, Jian-liang Tang, Xingxing Xu, Xin-ping Zhou, Jing Du, Xin Wang, Yi Zhou, Qiaojuan Zhu, Ling-ling Yao, Yong-gang Wang, Shuangxing Hou, Zhihui Huang

PII: S0014-4827(18)30830-9
DOI: https://doi.org/10.1016/j.yexcr.2018.08.033
Reference: YEXCR11184

To appear in: *Experimental Cell Research*

Received date: 20 February 2018
Revised date: 10 July 2018
Accepted date: 30 August 2018

Cite this article as: Ying Wang, Jian-liang Tang, Xingxing Xu, Xin-ping Zhou, Jing Du, Xin Wang, Yi Zhou, Qiaojuan Zhu, Ling-ling Yao, Yong-gang Wang, Shuangxing Hou and Zhihui Huang, NMDA receptors inhibit axonal outgrowth by inactivating Akt and activating GSK-3β via calcineurin in cultured immature hippocampal neurons, *Experimental Cell Research,* https://doi.org/10.1016/j.yexcr.2018.08.033

NMDA receptors inhibit axonal outgrowth by inactivating Akt and activating GSK-3β via calcineurin in cultured immature hippocampal neurons

Ying Wang[a,b1*], Jian-liang Tang[c1], Xingxing Xu[b1], Xin-ping Zhou[f], Jing Du[a], Xin Wang[a], Yi Zhou[g], Qiaojuan Zhu[g], Ling-ling Yao[h], Yong-gang Wang[d*], Shuangxing Hou[e*], Zhihui Huang[b*]

[a]Department of Transfusion Medicine, Zhejiang Provincial People's Hospital of Hangzhou Medical College, Hangzhou, 310053, China.

[b]Institute of Neuroscience and Institute of Hypoxia Medicine, Wenzhou Medical University, Wenzhou, Zhejiang, 325035, China.

[c]Psychiatry Department, Tongxiang First People's Hospital (Zhejiang Province People's Hospital Tongxiang Branch), Tongxiang, Zhejiang, 314500, China.

[d]Neurology Department, Tongren Hospital, Shanghai Jiaotong University, School of Medicine, Shanghai, 200025, China.

[e]Department of Neurology, Shanghai Pudong Hospital, Fudan University Pudong Medical Center, 2800 Gongwei Road，Pudong，Shanghai 201399, China.

[f]Hematology Department, The First Affiliated Hospital of Zhejiang University, School of Medicine, Hangzhou, Zhejiang, 310003, China.

[g]Zhejiang University of Traditional Chinese Medicine, Hangzhou, Zhejiang, 310053, China.

[h]Neuroscience Department, Case Western Reserve University, Cleveland, Ohio, USA.

Yong-gang Wang, w100yg@163.com

Shuangxing Hou, housx021@163.com

Zhihui Huang, hzhzju021@163.com

[*]Co-corresponding authors:

[1] These authors contributed equally to this work.