

Author's Accepted Manuscript

The Dependence Receptor TrkC regulates the number of sensory neurons during DRG development

Marie Ménard, Clélia Costechareyre, Juliana M. Coelho-Aguiar, Loraine Jarrosson-Wuilleme, Nicolas Rama, Jonathan Blachier, Karine Kindbeiter, Muriel Bozon, Jorge R. Cabrera, Elisabeth Dupin, Nicole Le Douarin, Patrick Mehlen, Servane Tauszig-Delamasure



PII: S0012-1606(18)30408-1

DOI: <https://doi.org/10.1016/j.ydbio.2018.07.022>

Reference: YDBIO7826

To appear in: *Developmental Biology*

Received date: 1 June 2018

Revised date: 17 July 2018

Accepted date: 26 July 2018

Cite this article as: Marie Ménard, Clélia Costechareyre, Juliana M. Coelho-Aguiar, Loraine Jarrosson-Wuilleme, Nicolas Rama, Jonathan Blachier, Karine Kindbeiter, Muriel Bozon, Jorge R. Cabrera, Elisabeth Dupin, Nicole Le Douarin, Patrick Mehlen and Servane Tauszig-Delamasure, The Dependence Receptor TrkC regulates the number of sensory neurons during DRG development, *Developmental Biology*, <https://doi.org/10.1016/j.ydbio.2018.07.022>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The Dependence Receptor TrkC regulates the number of sensory neurons during DRG development.

Marie Ménard¹, Clélia Costechareyre¹, Juliana M. Coelho-Aguiar², Loraine Jarrosson-Wuilleme¹, Nicolas Rama¹, Jonathan Blachier¹, Karine Kindbeiter³, Muriel Bozon³, Jorge R. Cabrera¹, Elisabeth Dupin², Nicole Le Douarin², Patrick Mehlen^{1*} and Servane Tauszig-Delamasure^{1*}

¹Apoptosis, Cancer and Development Laboratory - Equipe labellisée ‘La Ligue’, LabEx DEVweCAN, Centre de Cancérologie de Lyon, INSERM U1052-CNRS UMR5286, Université de Lyon, Centre Léon Bérard, 69008 Lyon, France.

²Sorbonne Universités, UPMC Univ Paris 06, INSERM, CNRS, Institut de la Vision, 17 rue Moreau, 75012 Paris, France.

³Neuro-development, Cancer and Signaling, Institut NeuroMyoGène, CNRS UMR 5310, INSERM U1217 de Lyon, UCBL Lyon 1, Faculté de Médecine et de Pharmacie, 8 Avenue Rockefeller, 69008 Lyon, France.

e-mail: servane.tauszig-delamasure@univ-lyon1.fr
e-mail: Patrick.mehlen@lyon.unicancer.fr

*Corresponding authors: S. Tauszig-Delamasure, and P. Mehlen

*Correspondence and requests for materials should

Abstract

The development of the sensory nervous system is the result of fine-tuned waves of neurogenesis and apoptosis which control the appropriate number of precursors and newly generated neurons and orient them toward a specific lineage. Neurotrophins and their tyrosine-kinase receptors (RTK) orchestrate this process. They have long been in the scope of the neurotrophic theory which established that a neuron is committed to die

Download English Version:

<https://daneshyari.com/en/article/10157798>

Download Persian Version:

<https://daneshyari.com/article/10157798>

[Daneshyari.com](https://daneshyari.com)