


Accepted Manuscript

Title: Vaccination against *Toxoplasma gondii* using rhoptry antigens: a systematic review

Authors: Roghiyeh Faridnia, Ahmad Daryani, Shahabeddin Sarvi, Mehdi Sharif, Hamed Kalani



PII: S0147-9571(18)30062-6
DOI: <https://doi.org/10.1016/j.cimid.2018.09.005>
Reference: CIMID 1204

To appear in:

Received date: 18-12-2017
Revised date: 24-8-2018
Accepted date: 11-9-2018

Please cite this article as: Faridnia R, Daryani A, Sarvi S, Sharif M, Kalani H, Vaccination against *Toxoplasma gondii* using rhoptry antigens: a systematic review, *Comparative Immunology, Microbiology and Infectious Diseases* (2018), <https://doi.org/10.1016/j.cimid.2018.09.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title:

Vaccination against *Toxoplasma gondii* using rhoptry antigens: a systematic review

Short title:

Toxoplasma gondii vaccination

Authors:

Roghiyeh Faridnia^a. Ahmad Daryani^{b,*}. Shahabeddin Sarvi^b. Mehdi Sharif^b. Hamed Kalani^c

Affiliation:

^aStudent Research Committee, Mazandaran University of Medical Sciences, Sari, Iran

^bToxoplasmosis Research Center, Mazandaran University of Medical Sciences, Sari, Iran

^cInfectious Diseases Research Center, Golestan University of Medical Science, Gorgan, Iran

***Corresponding author:**

Ahmad Daryani, Toxoplasmosis Research Center, Mazandaran University of Medical Sciences, PC 4847191971, Sari, Iran; E-mail: daryanii@yahoo.com; Tel: +9809111587234; Fax: +981133543249.

Highlights

- There has not been any study on ROP6, ROP10-12, ROP14, ROP15, ROP20-37, and ROP39-47
- Many factors such as animal model and parasite strain should be optimized
- ROP13, ROP16, and ROP18 showed the most protective activity

Download English Version:

<https://daneshyari.com/en/article/10158033>

Download Persian Version:

<https://daneshyari.com/article/10158033>

[Daneshyari.com](https://daneshyari.com)