Accepted Manuscript

Physicochemical properties of β -cyclodextrin solutions and precipitates prepared from injectable vehicles

Sai Myo Thurein, Nutdanai Lertsuphotvanit, Thawatchai Phaechamud

PII:S1818-0876(17)30946-7DOI:10.1016/j.ajps.2018.02.002Reference:AJPS 498



To appear in: Asian Journal of Pharmaceutical Sciences

Received date:28 November 2017Accepted date:26 February 2018

Please cite this article as: Sai Myo Thurein , Nutdanai Lertsuphotvanit , Thawatchai Phaechamud , Physicochemical properties of β -cyclodextrin solutions and precipitates prepared from injectable vehicles, *Asian Journal of Pharmaceutical Sciences* (2018), doi: 10.1016/j.ajps.2018.02.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 Highlight

2 High concentrated beta-cyclodextrin (β -CyD) could be prepared in injectable solvents with

3 low viscosity and Newtonian flow

- 4 β-CyD in 2-pyrrolidone (PYR) exhibited the highest water resistance and its matrix formation
- 5 were lower than that in dimethyl sulfoxide (DMSO) and N-methyl pyrrolidone (NMP)
- 6 β -CyD precipitates from these solvents showed the complexation between β -CyD and solvent
- 7 from DSC, TGA, x-ray diffraction and FT-IR data
- 8 These characteristic properties will be useful for using β -CyD solutions as matrix former in
- 9 the *in situ* forming gel for periodontitis treatment

10

Download English Version:

https://daneshyari.com/en/article/10158246

Download Persian Version:

https://daneshyari.com/article/10158246

Daneshyari.com