Accepted Manuscript



Bisphenol A (BPA) and bisphenol S (BPS) alter the promoter activity of the ABCB1 gene encoding P-glycoprotein in the human placenta in a haplotype-dependent manner

Jordan T. Speidel, Meixiang Xu, Sherif Z. Abdel-Rahman

PII: S0041-008X(18)30428-9
DOI: doi:10.1016/j.taap.2018.09.022
Reference: YTAAP 14401

To appear in: *Toxicology and Applied Pharmacology*

Received date: 25 July 2018
Revised date: 12 September 2018
Accepted date: 17 September 2018

Please cite this article as: Jordan T. Speidel, Meixiang Xu, Sherif Z. Abdel-Rahman , Bisphenol A (BPA) and bisphenol S (BPS) alter the promoter activity of the ABCB1 gene encoding P-glycoprotein in the human placenta in a haplotype-dependent manner. Ytaap (2018), doi:10.1016/j.taap.2018.09.022

Bisphenol A (BPA) and bisphenol S (BPS) alter the promoter activity of the *ABCB1* gene encoding P-glycoprotein in the human placenta in a haplotype-dependent manner

Speidel, Jordan T[1,2,3]; Xu, Meixiang[2]; and Abdel-Rahman, Sherif Z[2,4]

[1]Department of Biochemistry and Molecular Biology, [2]Department of Obstetrics and Gynecology, Maternal-fetal Pharmacology and Biodevelopment Laboratories, The University of Texas Medical Branch, Galveston, Texas, 77555, USA.

[3]Current address: School of Dental Medicine, Department of Craniofacial Biology, University of Colorado Anschutz Medical Campus, Aurora, CO 80045, USA

[4]Corresponding author: Sherif Z. Abdel-Rahman, Ph.D.

Associate Professor

Department of Obstetrics and Gynecology

Maternal Fetal Pharmacology and Biodevelopment Laboratories

The University of Texas Medical Branch

7.138 Medical Research Building

Galveston, TX 77555-1066, USA

Tel: (409) 772-9111

Fax: (409) 772-2261

Email: sabdelra@utmb.edu

Running title: Bisphenol exposure and *ABCB1* promoter activity.