

Dry Eye Profiles in Patients with a Positive Elevated Surface Matrix Metalloproteinase 9 Point-of-Care Test Versus Negative Patients

Nicole L. Lanza, MEd, Allison McClellan, OD, Hatim Batawi, MD, Elizabeth R. Felix, PhD, Konstantinos D. Sarantopoulos, MD, PhD, Roy C. Levitt, MD, Anat Galor, MD, MSPH

PII: S1542-0124(16)00009-4

DOI: [10.1016/j.jtos.2015.12.007](https://doi.org/10.1016/j.jtos.2015.12.007)

Reference: JTOS 167

To appear in: *Ocular Surface*

Received Date: 27 September 2015

Revised Date: 26 December 2015

Accepted Date: 27 December 2015

Please cite this article as: Lanza NL, McClellan A, Batawi H, Felix ER, Sarantopoulos KD, Levitt RC, Galor A, Dry Eye Profiles in Patients with a Positive Elevated Surface Matrix Metalloproteinase 9 Point-of-Care Test Versus Negative Patients, *Ocular Surface* (2016), doi: 10.1016/j.jtos.2015.12.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Section: Original Research, Ali Djalilian, MD, Editor

Title: Dry Eye Profiles in Patients with a Positive Elevated Surface Matrix Metalloproteinase 9 Point-of-Care Test Versus Negative Patients

Authors: Nicole L. Lanza, MEd,^{1,2} Allison McClellan, OD,¹ Hatim Batawi, MD,^{1,2} Elizabeth R. Felix, PhD,^{1,3} Konstantinos D. Sarantopoulos, MD, PhD,^{1,4} Roy C. Levitt, MD,^{1,4,5,6} and Anat Galor MD, MSPH^{1,2}

SHORT TITLE: ELEVATED SURFACE MMP-9 IN DRY EYE PATIENTS/Lanza et al

FOOTNOTES

Accepted for publication December 2015.

From ¹Miami Veterans Administration Medical Center, Miami, FL; ²Bascom Palmer Eye Institute, University of Miami, Miami, FL; ³Department of Physical Medicine and Rehabilitation, ⁴Department of Anesthesiology, Perioperative Medicine and Pain Management, ⁵John P. Hussman Institute for Human Genomics, ⁶John T. Macdonald Foundation Department of Human Genetics, University of Miami Miller School of Medicine, Miami, FL, USA.

The authors note that the contents of this study do not represent the views of the Department of Veterans Affairs or the United States Government.

Supported by the Department of Veterans Affairs, Veterans Health Administration, Office of Research and Development, Clinical Sciences Research and Development's Career Development Award CDA-2-024-10S (Dr. Galor), NIH Center Core Grant P30EY014801, Research to Prevent Blindness Unrestricted Grant, Department of Defense (DOD- Grant#W81XWH-09-1-0675 and Grant# W81XWH-13-1-0048 ONOVA) (institutional); NIH NIDCR R01 DE022903 (Dr. Levitt), and the Department of Anesthesiology, Perioperative Medicine, and Pain Management, University of Miami Miller School of Medicine, Miami, Florida for funding.

The authors report no conflicts of interest. The authors alone are responsible for the content and writing of the paper.

Single-copy reprint requests to Anat Galor, MD (address below).

Corresponding Author: Anat Galor, MD, 900 NW 17th Street, Miami, FL, 33136. Tel: 305-326-6000. Fax: 305-575-3312. Email: agalor@med.miami.edu

ABSTRACT Purpose: To compare dry eye (DE) symptoms and signs in subjects who tested positive versus those who tested negative for ocular surface matrix metalloproteinase 9 (**MMP-9**) using the

Download English Version:

<https://daneshyari.com/en/article/10163598>

Download Persian Version:

<https://daneshyari.com/article/10163598>

[Daneshyari.com](https://daneshyari.com)