

Available online at www.sciencedirect.com

ScienceDirect





Position paper

Clinical application of removable partial dentures using thermoplastic resin. Part II: Material properties and clinical features of non-metal clasp dentures



Kenji Fueki DDS, PhD^{a,d,*}, Chikahiro Ohkubo DMD, PhD^{b,c,e}, Masaru Yatabe DDS, PhD^{b,d,f}, Ichiro Arakawa DDS, PhD^{b,c,g}, Masahiro Arita DDS, PhD^{b,c,h}, Satoshi Ino DDS, PhD^{b,i}, Toshikazu Kanamori DDS, PhD^{b,j}, Yasuhiko Kawai DDS, PhD^{b,c,k}, Misao Kawara DDS, PhD^{b,l}, Osamu Komiyama DDS, PhD^{b,l}, Tetsuya Suzuki DDS, PhD^{b,c,m}, Kazuhiro Nagata DDS, PhD^{b,n}, Maki Hosoki DDS, PhD^{b,o}, Shin-ichi Masumi DDS, PhD^{b,h}, Mutsuo Yamauchi DDS, PhD^{b,p}, Hideki Aita DDS, PhD^{a,q}, Takahiro Ono DDS, PhD^{a,r}, Hisatomo Kondo DDS, PhD^{a,s}, Katsushi Tamaki DDS, PhD^{a,t}, Yoshizo Matsuka DDS, PhD^{a,o}, Hiroaki Tsukasaki DDS, PhD^{a,u}, Masanori Fujisawa DDS, PhD^{a,v}, Kazuyoshi Baba DDS, PhD^{a,u}, Kiyoshi Koyano DDS, PhD^{a,w}, Hirofumi Yatani DDS, PhD^x

^a Japan Prosthodontic Society, Clinical Guideline Committee (2011–2012), Japan

^bJapan Prosthodontic Society, Non-Metal Clasp Denture Expert Panel (2011–2012), Japan

^c Japan Prosthodontic Society, Removable Prosthodontics Expert Panel (2011–2012), Japan

^d Section of Removable Partial Prosthodontics, Tokyo Medical and Dental University, Japan

^eDepartment of Removable Prosthodontics, Tsurumi University School of Dental Medicine, Japan

^f Tokyo Branch, Japan

^g Department of Partial and Complete Denture, School of Life Dentistry at Tokyo, The Nippon Dental University, Japan

^h Division of Occlusion & Maxillofacial Reconstruction, Department of Oral Function, School of Dentistry, Kyushu Dental University, Japan

ⁱKanagawa Dental University Yokohama Clinic, Japan

^jTohoku & Hokkaido Branch, Japan

^k Department of Removable Prosthodontics, Nihon University School of Dentistry at Matsudo, Japan

 $^{^{}m l}$ Department of Oral Function and Rehabilitation, Nihon University School of Dentistry at Matsudo, Japan

m Section of Oral Prosthetic Engineering, Tokyo Medical and Dental University, Japan

ⁿ Comprehensive Dental Care, The Nippon Dental University Niigata Hospital, Japan

^{*} Corresponding author at: Section of Removable Partial Prosthodontics, Department of Masticatory Function Rehabilitation, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, 113-8549 Tokyo, Japan. Tel.: +81 3 5803 5514; fax: +81 3 5803 5514.

E-mail address: kunfu.rpro@tmd.ac.jp (K. Fueki).

- ° Department of Fixed Prosthodontics, Institute of Health Biosciences, The University of Tokushima Graduate School, Japan
- ^pDepartment of Prosthodontics, Division of Oral Functional Science and Rehabilitation, School of Dentistry, Asahi University, Japan
- ^q Division of Occlusion and Removable Prosthodontics, Health Sciences University of Hokkaido, Japan
- ^rDepartment of Prosthodontics, Gerodontology and Oral Rehabilitation, Osaka University Graduate School of Dentistry, Japan
- ^s Department of Prosthodontics and Oral Implantology, Iwate Medical University, Japan
- ^tDepartment of Oral & Maxillofacial Rehabilitation, Removable Prosthetics, Kanagawa Dental College, Japan
- ^u Department of Prosthodontics, Showa University, Japan
- ^v Division of Fixed Prosthodontics, School of Dentistry, Meikai University, Japan
- [™] Section of Implant and Rehabilitative Dentistry, Division of Oral Rehabilitation Faculty of Dental Science, Kyushu University, Japan
- * Department of Fixed Prosthodontics, Osaka University Graduate School of Dentistry, Japan

ARTICLE INFO

Article history:

Received 16 December 2013 Accepted 18 March 2014 Available online 18 April 2014

Keywords:

Removable partial denture Thermoplastic resin Non-metal clasp denture Resin clasp Position paper

ABSTRACT

This position paper reviews physical and mechanical properties of thermoplastic resin used for non-metal clasp dentures, and describes feature of each thermoplastic resin in clinical application of non-metal clasp dentures and complications based on clinical experience of expert panels. Since products of thermoplastic resin have great variability in physical and mechanical properties, clinicians should utilize them with careful consideration of the specific properties of each product. In general, thermoplastic resin has lower color-stability and higher risk for fracture than polymethyl methacrylate. Additionally, the surface of thermoplastic resin becomes roughened more easily than polymethyl methacrylate. Studies related to material properties of thermoplastic resin, treatment efficacy and follow-up are insufficient to provide definitive conclusions at this time. Therefore, this position paper should be revised based on future studies and a clinical guideline should be provided.

© 2014 Japan Prosthodontic Society, Published by Elsevier Ireland, All rights reserved.

Contents

1.	Intro	oduction	73
2.	Mechanical properties of thermoplastic resins used for NMCDs		73
	2.1.	Polyamides	73
	2.2.	Polyesters	73
	2.3.	Polycarbonates	74
	2.4.	Acrylic resin	76
	2.5.	Polypropylenes	76
3.	Characteristics of thermoplastic resins used for NMCDs		76
	3.1.	Polyamides	76
		3.1.1. Valplast®	76
		3.1.2. Lucitone FRS®	77
		3.1.3. Ultimate [®]	
	3.2.	Polyesters (EstheShot®, EstheShot Bright®)	77
	3.3.	Polycarbonates	79
		3.3.1. Reigning Resin®	79
		3.3.2. Reigning N [®]	79
4.	Main	ntenance of NMCDs	80
5.	Complications of NMCDs		81
	5.1.	Problems at the time of (or immediately after) insertion	81
	5.2.	Complications some time post-insertion	
6.	Limitations of this Position Paper and future prospects		82
		nowledgements	84
	References		

Download English Version:

https://daneshyari.com/en/article/10167460

Download Persian Version:

https://daneshyari.com/article/10167460

Daneshyari.com