


Accepted Manuscript

Title: Reply letter to: Eyes should be taped closed during rapid sequence induction of anaesthesia

Author: Hawa Keita Jacques Ripart Isabelle Cochereau
Dominique Fletcher



PII: S2352-5568(18)30307-2
DOI: <https://doi.org/doi:10.1016/j.accpm.2018.07.005>
Reference: ACCPM 414

To appear in:

Please cite this article as: Hawa Keita Jacques Ripart Isabelle Cochereau Dominique Fletcher Reply letter to: Eyes should be taped closed during rapid sequence induction of anaesthesia (2018), <https://doi.org/10.1016/j.accpm.2018.07.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Reply letter to: Eyes should be taped closed during rapid sequence
induction of anaesthesia**

Hawa Keita*, Jacques Ripart, Isabelle Cochereau, Dominique Fletcher.

AFFILIATIONS TOUS AUTEURS

*Corresponding author: Hawa Keïta

- Service d'Anesthésie, CHU Louis Mourier, AP-HP, Université Paris 7, Denis Diderot Sorbonne Paris Cité, 178 rue des Renouillers, 92700 Colombes, France
- Université Paris Diderot, Sorbonne Paris Cité, EA 7334 Recherche Clinique coordonnée ville-hôpital, Méthodologies et Société (REMES), 75010 Paris, France

E-mail: hawa.keita@aphp.fr

Dear Editor-in-chief,

We read with interest the letter to the Editor sent by Hans-Joachim Priebe [1], we appreciate its valuable comments on our guidelines [2]. Here are our answers on the only recommendation with which he strongly disagreed “Apart from a rapid induction sequence, eyelid occlusion is recommended as soon as the ciliary reflex is lost and before tracheal intubation in order to reduce the risk of traumatic injuries to the cornea.”

We agree with the Professor Emeritus Priebe when he pointed that unfortunately, the rationale for this exemption of rapid sequence induction (RSI) is not provided. However, we made this

Download English Version:

<https://daneshyari.com/en/article/10211907>

Download Persian Version:

<https://daneshyari.com/article/10211907>

[Daneshyari.com](https://daneshyari.com)