


Accepted Manuscript

Circulating PCSK9 levels are not associated with the severity of hepatic steatosis and NASH in a high-risk population

Matthieu Wargny, Pierre-Henri Ducluzeau, Jean-Michel Petit, Cédric Le May, Sarra Smati, Lucie Arnaud, Matthieu Pichelin, Benjamin Bouillet, Adrien Lannes, Odile Blanchet, Philippe Lefebvre, Sven Francque, Luc Van Gaal, Bart Staels, Bruno Vergès, Jérôme Boursier, Bertrand Cariou



PII: S0021-9150(18)31370-4

DOI: [10.1016/j.atherosclerosis.2018.09.008](https://doi.org/10.1016/j.atherosclerosis.2018.09.008)

Reference: ATH 15706

To appear in: *Atherosclerosis*

Received Date: 30 May 2018

Revised Date: 30 July 2018

Accepted Date: 12 September 2018

Please cite this article as: Wargny M, Ducluzeau P-H, Petit J-M, Le May Cé, Smati S, Arnaud L, Pichelin M, Bouillet B, Lannes A, Blanchet O, Lefebvre P, Francque S, Van Gaal L, Staels B, Vergès B, Boursier Jéô, Cariou B, Circulating PCSK9 levels are not associated with the severity of hepatic steatosis and NASH in a high-risk population, *Atherosclerosis* (2018), doi: <https://doi.org/10.1016/j.atherosclerosis.2018.09.008>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Circulating PCSK9 levels are not associated with the severity of hepatic steatosis and
NASH in a high-risk population**

Matthieu Wargny^{a,b}, Pierre-Henri Ducluzeau^c, Jean-Michel Petit^{d,e}, Cédric Le May^b, Sarra Smati^a,
Lucie Arnaud^b, Matthieu Pichelin^{a,b}, Benjamin Bouillet^{d,e}, Adrien Lannes^f, Odile Blanchet^g,
Philippe Lefebvre^h, Sven Francque^{i,j}, Luc Van Gaal^{j,k}, Bart Staels^h, Bruno Vergès^{d,e}, Jérôme
Boursier^{f,l}, Bertrand Cariou^{a,b*}

^aL'institut du thorax, Department of Endocrinology, CIC 1413 INSERM, CHU Nantes, Nantes, France

^bL'institut du thorax, INSERM, CNRS, CHU Nantes, Nantes, France

^cInternal Medicine Department, Unit of Endocrinology, UMR85 INRA, CHU Tours, Tours, France

^dUniversity Bourgogne Franche-Comté, INSERM-LNC UMR 1231, Dijon, France

^eDepartment of Diabetes and Endocrinology, CHU François Mitterrand, Dijon, France

^fHepatology Department, Angers University Hospital, Angers, France

^gCRB – BB-0033-00038, Angers University Hospital, Angers, France

^hUniv. Lille, Inserm, CHU Lille, Institut Pasteur de Lille, U1011- EGID, F-59000, Lille, France

ⁱDepartment of Gastroenterology and Hepatology, Antwerp University Hospital, Antwerp, Belgium

^jLaboratory of Experimental Medicine and Paediatrics, Faculty of Medicine, University of Antwerp, Antwerp, Belgium

^kDepartment of Endocrinology, Diabetology and Metabolism, University Hospital Antwerp, Edegem, Belgium

^lHIFIH Laboratory, UPRES 3859, SFR 4208, Bretagne Loire University, Angers, France

Download English Version:

<https://daneshyari.com/en/article/10213034>

Download Persian Version:

<https://daneshyari.com/article/10213034>

[Daneshyari.com](https://daneshyari.com)