

# Accepted Manuscript

Atypical inferoseptal accessory pathway connection associated with an aneurysm of the coronary sinus: Insight from a three-dimensional combined image of electroanatomical mapping and computed tomography

Makoto Nishimori, MD, Kunihiro Kiuchi, FHRS, MD, Shumpei Mori, MD, PhD, Yu Izawa, MD, Shingo Kouno, MD, Hiroaki Nakagawa, MD, Shinsuke Shimoyama, MD, Koji Fukuzawa, MD, PhD, Ken-ichi Hirata, MD, PhD

PII: S2214-0271(18)30068-X

DOI: [10.1016/j.hrcr.2018.04.009](https://doi.org/10.1016/j.hrcr.2018.04.009)

Reference: HRCR 530

To appear in: *HeartRhythm Case Reports*


Received Date: 5 April 2018

Revised Date: 18 April 2018

Accepted Date: 21 April 2018

Please cite this article as: Nishimori M, Kiuchi K, Mori S, Izawa Y, Kouno S, Nakagawa H, Shimoyama S, Fukuzawa K, Hirata K-i, Atypical inferoseptal accessory pathway connection associated with an aneurysm of the coronary sinus: Insight from a three-dimensional combined image of electroanatomical mapping and computed tomography, *HeartRhythm Case Reports* (2018), doi: [10.1016/j.hrcr.2018.04.009](https://doi.org/10.1016/j.hrcr.2018.04.009).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Title: Atypical inferoseptal accessory pathway connection associated with an aneurysm of the coronary sinus: Insight from a three-dimensional combined image of electroanatomical mapping and computed tomography**

**Short title: inferoseptal accessory pathway associated with a coronary sinus aneurysm**

**Keywords:** inferior accessory pathway, inferior pyramidal space, radiofrequency catheter ablation, CT, 3D combined image, coronary sinus aneurysm

Makoto Nishimori<sup>1</sup>, MD, Kunihiro Kiuchi<sup>1</sup>, FHRS, MD, Shumpei Mori<sup>1</sup>, MD, PhD, Yu Izawa<sup>1</sup>, MD, Shingo Kouno<sup>1</sup>, MD, Hiroaki Nakagawa<sup>1</sup>, MD, Shinsuke Shimoyama<sup>2</sup>, MD, Koji Fukuzawa<sup>1</sup>, MD, PhD, Ken-ichi Hirata<sup>1</sup>, MD, PhD

Corresponding author: Kunihiro Kiuchi

<sup>1</sup> Division of Cardiovascular Medicine, Department of Internal Medicine, Kobe University Graduate School of Medicine

<sup>2</sup> Department of Radiology, Kobe University Graduate School of Medicine

**Conflict of Interest Statement:** The authors report no conflicts of interest.

Download English Version:

<https://daneshyari.com/en/article/10213090>

Download Persian Version:

<https://daneshyari.com/article/10213090>

[Daneshyari.com](https://daneshyari.com)