
Accepted Manuscript

Improved management of patients after acute coronary syndrome: using nonalcoholic fatty liver disease fibrosis score and ezetimibe?



Jan Pitha

PII: S0167-5273(18)33488-0

DOI: doi:10.1016/j.ijcard.2018.07.031

Reference: IJCA 26698

To appear in: International Journal of Cardiology

Received date: 28 June 2018 Accepted date: 3 July 2018

Please cite this article as: Jan Pitha, Improved management of patients after acute coronary syndrome: using nonalcoholic fatty liver disease fibrosis score and ezetimibe?. Ijca (2018), doi:10.1016/j.ijcard.2018.07.031

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Title page

Improved management of patients after acute coronary syndrome: using nonalcoholic fatty liver disease fibrosis score and ezetimibe?

Jan Pitha, MD, PhD., assistant professor

- 1. Department of Internal Medicine, 2nd Faculty of Medicine, Charles University in Prague
- Laboratory for Atherosclerosis Research, Institute of Clinical and Experimental Medicine,
 Prague, Czech Republic

Author takes responsibility for all aspects of the reliability and freedom from bias of the data presented and their discussed interpretation.

Corresponding author

Jan Pitha,

Department of Internal Medicine, 2nd Faculty of Medicine, Charles University in Prague, V Úvalu 84, 150 06, Praha 5, Prague Czech Republic

Telephone: +420 26136 5446; E-mail: japi@ikem.cz

Grant support:

"Supported by Ministry of Health, Czech Republic - conceptual development of research organization, Motol University Hospital, Prague, Czech Republic 00064203"

Conflict of Interest:

"Author reports no relationships that could be construed as a conflict of interest".

Keywords:

Acute coronary syndrome, prognostic factors, non-alcoholic liver fatty disease fibrous score, ezetimibe

Prognostic factors in patients surviving acute coronary syndrome (ACS) are represented by many clinical, morphological, functional and biochemical parameters. Those include age, sex,

Download English Version:

https://daneshyari.com/en/article/10213411

Download Persian Version:

https://daneshyari.com/article/10213411

<u>Daneshyari.com</u>