

Accepted Manuscript

Bilateral independent periodic discharges are associated with electrographic seizures and poor outcome: a case-control study

Gamaleldin Osman, Rahul Rahangdale, Jeffrey W. Britton, Emily J. Gilmore, Hiba Arif Haider, Stephen Hantus, Aline Herlopian, Sara E. Hocker, Jong Woo Lee, Benjamin Legros, Michael Mendoza, Vineet Punia, Nishi Rampal, Jerzy P. Szaflarski, Adam D. Wallace, M. Brandon Westover, Lawrence J. Hirsch, Nicolas Gaspard


PII: S1388-2457(18)31187-8
DOI: <https://doi.org/10.1016/j.clinph.2018.07.025>
Reference: CLINPH 2008621

To appear in: *Clinical Neurophysiology*

Received Date: 25 April 2018
Revised Date: 20 June 2018
Accepted Date: 23 July 2018

Please cite this article as: Osman, G., Rahangdale, R., Britton, J.W., Gilmore, E.J., Arif Haider, H., Hantus, S., Herlopian, A., Hocker, S.E., Woo Lee, J., Legros, B., Mendoza, M., Punia, V., Rampal, N., Szaflarski, J.P., Wallace, A.D., Brandon Westover, M., Hirsch, L.J., Gaspard, N., Bilateral independent periodic discharges are associated with electrographic seizures and poor outcome: a case-control study, *Clinical Neurophysiology* (2018), doi: <https://doi.org/10.1016/j.clinph.2018.07.025>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Bilateral independent periodic discharges are associated with electrographic seizures and poor outcome: a case-control study

Gamaleldin Osman^{1,2,3,}, Rahul Rahangdale^{2,4,*}, Jeffrey W. Britton⁵, Emily J. Gilmore², Hiba Arif Haider⁶, Stephen Hantus⁷, Aline Herlopian^{2,8}, Sara E. Hocker⁵, Jong Woo Lee⁹, Benjamin Legros¹⁰, Michael Mendoza⁶, Vineet Punia⁷, Nishi Rampal², Jerzy P. Szaflarski¹¹, Adam D. Wallace⁵, M. Brandon Westover⁸, Lawrence J. Hirsch², Nicolas Gaspard^{2,10}*

1. Department of Neurology, Henry Ford Hospital, Detroit, MI, USA
2. Department of Neurology, Yale University School of Medicine, New Haven, CT, USA
3. Ain Shams University, Cairo, Egypt
4. Department of Neurology, Allegheny General Hospital, Pittsburgh, PA, USA
5. Department of Neurology, Mayo Clinic, Rochester, MN, USA
6. Division of Epilepsy, Department of Neurology, Emory University, Atlanta, GA, USA
7. Cleveland Clinic Epilepsy Center, Cleveland, OH, USA
8. Department of Neurology, Massachusetts General Hospital, Harvard Medical School, Boston, MA, USA
9. Department of Neurology, Brigham and Women's Hospital, Harvard Medical School, Boston, MA, USA
10. Service de Neurologie et Centre de Référence pour le Traitement de l'Epilepsie Réfractaire, Université Libre de Bruxelles – Hôpital Erasme, Bruxelles, Belgique
11. University of Alabama at Birmingham, Birmingham, AL, USA

** These authors contributed equally to this work.*

Corresponding author:

Nicolas Gaspard

Service de Neurologie, Université Libre de Bruxelles – Hôpital Erasme, Route de Lennik, 808 1070
Bruxelles, Belgique

email: nicolas.gaspard@ulb.ac.be

Download English Version:

<https://daneshyari.com/en/article/10215359>

Download Persian Version:

<https://daneshyari.com/article/10215359>

[Daneshyari.com](https://daneshyari.com)