

Accepted Manuscript



Fracture healing and bone remodeling with human standard-sized magnesium versus polylactide-co-glycolide (PLGA) plate and screw systems using a mini-swine craniomaxillofacial osteotomy fixation model

Benoît Schaller, MD, DMD, John Patrik Matthias Burkhard, MD, DMD, Madeleine Chagnon, DVM, MSc, Stefan Beck, PhD, Thomas Imwinkelried, PhD, Michel Assad, PhD

PII: S0278-2391(18)30297-0

DOI: [10.1016/j.joms.2018.03.039](https://doi.org/10.1016/j.joms.2018.03.039)

Reference: YJOMS 58225

To appear in: *Journal of Oral and Maxillofacial Surgery*

Received Date: 29 November 2017

Revised Date: 27 March 2018

Accepted Date: 27 March 2018

Please cite this article as: Schaller B, Matthias Burkhard JP, Chagnon M, Beck S, Imwinkelried T, Assad M, Fracture healing and bone remodeling with human standard-sized magnesium versus polylactide-co-glycolide (PLGA) plate and screw systems using a mini-swine craniomaxillofacial osteotomy fixation model, *Journal of Oral and Maxillofacial Surgery* (2018), doi: 10.1016/j.joms.2018.03.039.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Fracture healing and bone remodeling with human standard-sized magnesium versus polylactide-co-glycolide (PLGA) plate and screw systems using a mini-swine craniomaxillofacial osteotomy fixation model

Benoît Schaller¹ MD, DMD, John Patrik Matthias Burkhard² MD, DMD, Madeleine Chagnon³ DVM, MSc, Stefan Beck⁴ PhD, Thomas Imwinkelried⁵ PhD, Michel Assad⁶ PhD

¹ Senior Physician, Department of Cranio-Maxillofacial Surgery, Inselspital, Bern University Hospital, CH-3010 Bern, Switzerland

² Resident, Department of Cranio-Maxillofacial Surgery, Inselspital, Bern University Hospital, CH-3010 Bern, Switzerland

³ Director Pathology, AccellAB Inc., Boisbriand, QC, Canada

⁴ Senior Scientist Materials Group, Synthes Biomaterials, Eimattstr. 3, CH-4436, Oberdorf, Switzerland

⁵ Senior Scientist Materials Group, RMS Foundation, Bischmattstr. 12, CH-2544 Bettlach, Switzerland

⁶ Director, Orthopedics and Biomaterials, AccellAB Inc., Boisbriand, QC, Canada

Corresponding author: Benoit Schaller, Department of Cranio-Maxillofacial Surgery, Inselspital, Bern University Hospital, CH-3010 Bern, Switzerland. Electronic address: benoit.schaller@insel.ch

Download English Version:

<https://daneshyari.com/en/article/10216329>

Download Persian Version:

<https://daneshyari.com/article/10216329>

[Daneshyari.com](https://daneshyari.com)