



October 2018, Volume 79, Number 4

00	N 17		ITO
		ΓEΝ	

Continuing Medical Education	CME 599	Urticaria: A comprehensive review Epidemiology, diagnosis, and work-up Camila Antia, MD, Katherine Baquerizo, MD, Abraham Korman, MD, Jonathan A. Bernstein, MD, and Ali Alikhan, MD	
	615	CME examination	
	616	Answers to CME examination (Identification No. JA1018), October 2018 issue of the Journal of the American Academy of Dermatology	
	©ME 617	Urticaria: A comprehensive review Treatment of chronic urticaria, special populations, and disease outcomes Camila Antia, MD, Katherine Baquerizo, MD, Abraham Korman, MD, Ali Alikhan, MD, and Jonathan A. Bernstein, MD	
	633	Answers to CME examination (Identification No. JB1018), October 2018 issue of the Journal of the American Academy of Dermatology	
	634	CME examination	
Letter from the Editor	635	Sample size Dirk M. Elston, MD	
A Clinician's Perspective	636	Comprehending prurigo nodularis: Ay, there's the rub Warren R. Heymann, MD	
From the Dermatology Foundation	638	Association of family structure with atopic dermatitis in US children Bottom line: Children from family structures without 2 married biologic parents may benefit from increased surveillance, closer follow-up, and optimized treatment for incident AD.	

optimized treatment for incident AD.

Costner McKenzie, BA, and Jonathan I. Silverberg, MD, PhD, MPH



Original Articles

645 Clinically amelanotic or hypomelanotic melanoma: Anatomic distribution, risk factors, and survival

Bottom line: Clinicians should have an increased index of suspicion in patients with a sun-sensitive skin phenotype, red hair, and associated actinic keratoses.

Edmund Wee, MBBS (Hons), Rory Wolfe, PhD, Catriona Mclean, FRCPA, MD, John W. Kelly, FACD, MD, and Yan Pan, MBBS (Hons), FACD

Psoriatic patients with chronic viral hepatitis do not have an increased risk of liver cirrhosis despite long-term methotrexate use: Real-world data from a nationwide cohort study in Taiwan

Bottom line: Methotrexate may be a treatment option in psoriatic patients with chronic viral hepatitis.

Kuo-Tung Tang, MD, PhD, Yi-Ming Chen, MD, PhD, Shih-Ni Chang, MSPH, Ching-Heng Lin, PhD, and Der-Yuan Chen, MD, PhD

The impact of underlying disease state on outcomes in patients with pyoderma gangrenosum: A national survey

Bottom line: There is a need for comprehensive evaluation for risk stratification in patients with pyoderma gangrenosum.

Benjamin H. Kaffenberger, MD, Alice Hinton, PhD, and Somashekar G. Krishna, MD, MPH

Epidemiology of pediatric nickel sensitivity: Retrospective review of North American Contact Dermatitis Group (NACDG) data 1994-2014

Bottom line: Nickel sensitivity in children is common and clinically relevant.

Erin M. Warshaw, MD, MS, Kelly A. Aschenbeck, BS, Joel G. DeKoven, MD, Howard I. Maibach, MD, James S. Taylor, MD, Denis Sasseville, MD, Donald V. Belsito, MD, Joseph F. Fowler, Jr, MD, Kathryn A. Zug, MD, Matthew J. Zirwas, MD, Anthony F. Fransway, MD, Vincent A. DeLeo, MD, James G. Marks, Jr, MD, Melanie D. Pratt, MD, and Toby Mathias, MD

Trends in phototherapy utilization among Medicare beneficiaries in the United States, 2000 to 2015

Bottom line: Access to office-based phototherapy remains limited in nonurban areas.

Sally Y. Tan, MD, MPH, Elizabeth Buzney, MD, and Arash Mostaghimi, MD, MPA, MPH

Factors associated with advanced-stage Merkel cell carcinoma at initial diagnosis and the use of radiation therapy: Results from the National Cancer Database

Bottom line: Efforts aimed at ameliorating modifiable factors that are associated with late-stage diagnosis and lack of use of radiation therapy may meaningfully affect the management of and outcomes associated with Merkel cell carcinoma.

Oleksandr Trofymenko, MEd, Nathalie C. Zeitouni, MD, FRCPC, and Drew J. B. Kurtzman, MD

Download English Version:

https://daneshyari.com/en/article/10216763

Download Persian Version:

https://daneshyari.com/article/10216763

<u>Daneshyari.com</u>