

Accepted Manuscript

Factors associated with the orthopaedic surgeon's decision to recommend total joint replacement in hip and knee osteoarthritis: an international cross-sectional study of 1905 patients

C. Huynh, D. Puyraimond-Zemmour, J.F. Maillefert, P.G. Conaghan, A.M. Davis, K.-P. Gunther, G. Hawker, M.C. Hochberg, M. Kloppenburg, K. Lim, L.S. Lohmander, N.N. Mahomed, L. March, K. Pavelka, L. Punzi, E.M. Roos, L. Sanchez-Riera, J.A. Singh, M.E. Suarez-Almazor, M. Dougados, L. Gossec

PII: S1063-4584(18)31362-1

DOI: [10.1016/j.joca.2018.06.013](https://doi.org/10.1016/j.joca.2018.06.013)

Reference: YJOCA 4265

To appear in: *Osteoarthritis and Cartilage*


Received Date: 31 January 2018

Revised Date: 30 May 2018

Accepted Date: 20 June 2018

Please cite this article as: Huynh C, Puyraimond-Zemmour D, Maillefert JF, Conaghan PG, Davis AM, Gunther K-P, Hawker G, Hochberg MC, Kloppenburg M, Lim K, Lohmander LS, Mahomed NN, March L, Pavelka K, Punzi L, Roos EM, Sanchez-Riera L, Singh JA, Suarez-Almazor ME, Dougados M, Gossec L, Factors associated with the orthopaedic surgeon's decision to recommend total joint replacement in hip and knee osteoarthritis: an international cross-sectional study of 1905 patients, *Osteoarthritis and Cartilage* (2018), doi: 10.1016/j.joca.2018.06.013.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



TITLE PAGE**Factors associated with the orthopaedic surgeon's decision to recommend total joint replacement in hip and knee osteoarthritis: an international cross-sectional study of 1905 patients**

C. Huynh¹, D. Puyraimond-Zemmour¹, J.F. Maillefert², P.G. Conaghan³, A.M. Davis⁴, K.-P. Gunther⁵, G. Hawker⁶, M.C. Hochberg⁷, M. Kloppenburg⁸, K. Lim⁹, L.S. Lohmander¹⁰, N.N. Mahomed¹¹, L. March¹², K. Pavelka¹³, L. Punzi¹⁴, E.M. Roos¹⁵, L. Sanchez-Riera^{12,16}, J.A. Singh¹⁷, M.E. Suarez-Almazor¹⁸, M. Dougados¹⁹ and L. Gossec¹.

AFFILIATIONS

¹. Sorbonne Universités, UPMC Univ Paris 06, Institut Pierre Louis d'Epidémiologie et de Santé Publique (UMRS 1136), Paris, France ; Rheumatology Department, Hôpital Pitié Salpêtrière, AP-HP, PARIS, France

². Department of Rheumatology, Dijon University Hospital, Dijon F-21078, France, University of Burgundy, Dijon F-21079, France, INSERM U1093, Dijon F-21079, France.

³. Leeds Institute of Rheumatic and Musculoskeletal Medicine, University of Leeds & NIHR Leeds Biomedical Research Centre, Leeds, United Kingdom.

⁴. Division of Health Care and Outcomes Research, Krembil Research Institute, Toronto, Ontario and Departments of Rehabilitation Science and Health Policy, Management and Evaluation, University of Toronto, Canada.

⁵. University Center of Orthopaedics and Traumatology, Technische Universität, Dresden, Germany.

⁶. Division of Rheumatology, Department of Medicine, Women's College Hospital and Women's College Research Institute; Faculty of Medicine, and Institute of Health Policy, Management and Evaluation, Dalla Lana School of Public Health, University of Toronto, Canada.

⁷. Division of Rheumatology & Clinical Immunology, Department of Medicine and Division of Gerontology, Department of Epidemiology and Public Health, University of Maryland School of Medicine, Baltimore, MD, USA.

⁸. Department of Rheumatology, Department of Clinical Epidemiology, Leiden

Download English Version:

<https://daneshyari.com/en/article/10218547>

Download Persian Version:

<https://daneshyari.com/article/10218547>

[Daneshyari.com](https://daneshyari.com)