Accepted Manuscript

Management and prognosis of low-grade appendiceal mucinous neoplasms: a clinicopathologic analysis of 50 cases

Xin Li, Jianping Zhou, Ming Dong, Lianhe Yang

PII: S0748-7983(18)31253-8

DOI: 10.1016/j.ejso.2018.06.037

Reference: YEJSO 5038

To appear in: European Journal of Surgical Oncology

Received Date: 27 December 2017

Revised Date: 25 April 2018

Accepted Date: 27 June 2018

Please cite this article as: Li X, Zhou J, Dong M, Yang L, Management and prognosis of low-grade appendiceal mucinous neoplasms: a clinicopathologic analysis of 50 cases, *European Journal of Surgical Oncology* (2018), doi: 10.1016/j.ejso.2018.06.037.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Management and prognosis of low-grade appendiceal mucinous neoplasms: a

clinicopathologic analysis of 50 cases

Xin Li¹, Jianping Zhou¹, Ming Dong¹*, Lianhe Yang²

1 Department of Gastrointestinal Surgery, The First Hospital, China Medical University,

Shenyang, Liaoning Province, China.

2 Department of Pathology, The First Hospital and College of Basic Medical

Sciences of China Medical University, China.

* Corresponding author: Ming Dong

Department of Gastrointestinal Surgery, The First Hospital, China Medical University,

Shenyang, Liaoning Province, China.

E-mail: dongming@cmu.edu.cn; Tel.: 86-24-83282881

Abstract

Background. Low-grade appendiceal mucinous neoplasms (LAMN) are poorly understood lesions characterized by their potential to spread to the peritoneal cavity as pseudomyxoma peritonei (PMP). The purpose of this study was to investigate the clinical and pathologic features and management of these tumors.

Methods. This was a retrospective study of consecutive patients with LAMN who underwent surgery by a surgical team at the First Affiliated Hospital of China Medical University between 2005 and 2016. Subgroup analyses were performed for patients with PMP. Download English Version:

https://daneshyari.com/en/article/10220400

Download Persian Version:

https://daneshyari.com/article/10220400

Daneshyari.com