

Accepted Manuscript

Title: Biomechanical comparative study on stability of injectable pedicle screw with 1 different lateral holes augmented with different volumes of polymethylmethacrylate in osteoporotic lumbar vertebrae

Author: Da Liu, Jun Sheng, Yang Luo, Chen Huang, Hong-Hua Wu, Jiang-Jun Zhou, Xiao-Jun Zhang, Wei Zheng



PII: S1529-9430(18)30098-6
DOI: <https://doi.org/10.1016/j.spinee.2018.03.009>
Reference: SPINEE 57627

To appear in: *The Spine Journal*

Received date: 20-9-2017
Revised date: 10-2-2018
Accepted date: 13-3-2018

Please cite this article as: Da Liu, Jun Sheng, Yang Luo, Chen Huang, Hong-Hua Wu, Jiang-Jun Zhou, Xiao-Jun Zhang, Wei Zheng, Biomechanical comparative study on stability of injectable pedicle screw with 1 different lateral holes augmented with different volumes of polymethylmethacrylate in osteoporotic lumbar vertebrae, *The Spine Journal* (2018), <https://doi.org/10.1016/j.spinee.2018.03.009>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 **Biomechanical comparative study on stability of**
2 **injectable pedicle screw with 1 different lateral holes**
3 **augmented with different volumes of**
4 **polymethylmethacrylate in osteoporotic lumbar**
5 **vertebrae**

6
7 Da Liu, MD, PhD,¹ Jun Sheng, MD, PhD,¹ Yang Luo, MB,² Chen
8 Huang, MD, PhD,¹ Hong-Hua Wu, MB,¹ Jiang-Jun Zhou, MD, PhD,³
9 Xiao-Jun Zhang, MM,⁴ Wei Zheng, MD, PhD^{1,*}

10
11 ¹Department of Orthopaedics, Chengdu Military General Hospital, 270 Rongdu Avenue, Jinniu
12 District, Chengdu, Sichuan Province, 610083, China.

13 ²Department of Anesthesiology, Chengdu Military General Hospital, 270 Rongdu Avenue,
14 Jinniu District, Chengdu, Sichuan Province, 610083, China.

15 ³Department of Orthopaedics, 184 Hospital of Nanjing Military Region, 4 Hudong Street,
16 Yingtian, Jiangxi Province, 335000, China.

17 ⁴Department of Orthopaedics, People's Hospital of Tongchuan, 12 Jiankang Road, Tongchuan,
18 Shaanxi Province, 727000, China.

19
20 *Corresponding author. Department of Orthopaedics, Chengdu Military General Hospital, 270
21 Rongdu Avenue, Jinniu District, Chengdu, Sichuan Province, 610083, China. Tel:
22 86-28-86571113; fax: 86-28-86571113; e-mail address: zyzhengwei@126.com (W. Zheng)

23
24 **First author:** Da Liu, MD, PhD; e-mail: liuda313@163.com

25 **Co-first author:** Jun Sheng, MD, PhD; e-mail: 449250924@qq.com

26 **Co-first author:** Yang Luo, MB; e-mail: luoyangcd@126.com

27 Da Liu, Jun Sheng, and Yang Luo contributed equally to this study.

28
29 **Conflict of interest and source of funding:** The authors have declared that no conflicts of
30 interests exist. This work was supported by the Health and Family Planning Commission
31 Foundation of Sichuan Province (grant #16PJ020), the China Postdoctoral Science Foundation
32 (grant #2016M603054), the National Natural Science Foundation of China (grant #81301606),
33 and the Foundation of Chengdu Military General Hospital (grant #42412E33). No benefits in any
34 form have been or will be received from a commercial party directly or indirectly to the subject
35 of this manuscript.

Download English Version:

<https://daneshyari.com/en/article/10221727>

Download Persian Version:

<https://daneshyari.com/article/10221727>

[Daneshyari.com](https://daneshyari.com)