


Accepted Manuscript

Suicide and other sudden death bereavement of immediate family members: An analysis of grief reactions six-months after death

Kairi Kõlves , Qing Zhao , Victoria Ross , Jacinta Hawgood ,
Susan H Spence , Diego de Leo

PII: S0165-0327(18)31424-1
DOI: <https://doi.org/10.1016/j.jad.2018.09.018>
Reference: JAD 10100



To appear in: *Journal of Affective Disorders*

Received date: 1 July 2018
Revised date: 5 August 2018
Accepted date: 10 September 2018

Please cite this article as: Kairi Kõlves , Qing Zhao , Victoria Ross , Jacinta Hawgood , Susan H Spence , Diego de Leo , Suicide and other sudden death bereavement of immediate family members: An analysis of grief reactions six-months after death, *Journal of Affective Disorders* (2018), doi: <https://doi.org/10.1016/j.jad.2018.09.018>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Suicide-bereaved had higher levels of rejection, somatic reactions, stigmatisation, responsibility and shame after adjusting for confounding factors.
- Bereavement type did not predict mental health and suicidality.
- A good fit was found for an 8-factor version of the originally proposed Grief Experience Questionnaire.
- The findings are important to clinicians and should be considered when designing postvention services.

Download English Version:

<https://daneshyari.com/en/article/10222365>

Download Persian Version:

<https://daneshyari.com/article/10222365>

[Daneshyari.com](https://daneshyari.com)