


Accepted Manuscript

Local Apparent and Latent Direction Extraction for Palmprint Recognition

Lunke Fei , Bob Zhang , Wei Zhang , Shaohua Teng

PII: S0020-0255(18)30739-4
DOI: <https://doi.org/10.1016/j.ins.2018.09.032>
Reference: INS 13943



To appear in: *Information Sciences*

Received date: 28 April 2018
Revised date: 10 September 2018
Accepted date: 17 September 2018

Please cite this article as: Lunke Fei , Bob Zhang , Wei Zhang , Shaohua Teng , Local Apparent and Latent Direction Extraction for Palmprint Recognition, *Information Sciences* (2018), doi: <https://doi.org/10.1016/j.ins.2018.09.032>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

HIGHLIGHTS

- A novel double-layer direction method is proposed for palmprint recognition.
- Two novel schemes are used to combine apparent and latent direction.
- Extensive experiments on four benchmarks and noisy databases are conducted.
- Latent convolution layer direction shows a promising performance.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/10225715>

Download Persian Version:

<https://daneshyari.com/article/10225715>

[Daneshyari.com](https://daneshyari.com)