



Case report

Fatal accidental asphyxia in a jack-knife position

F.A. Benomran, MBBS, MD, Professor of Forensic Medicine *

Forensic Medicine Department, General department of Forensic Science, Dubai Police General H.Q., P.O. Box 39844, Dubai, United Arab Emirates

ARTICLE INFO

Article history:

Received 19 January 2010

Accepted 26 May 2010

Available online 18 June 2010

Keywords:

Accidental deaths

Asphyxial deaths

Jack-knife position

Positional asphyxia

Alcohol intoxication

Death scene investigation

ABSTRACT

Accidental death from postural or positional asphyxia takes place when the abnormal position of the victim's body compromises the process of respiration. Diagnosis is largely made by circumstantial evidence supported by absence of any other significant pathology or trauma explaining death. This case report is about a 50-year-old male who had been drinking the previous night and was found dead in the morning inside a tire repair shop. His jack-knifed body had been encompassed, buttocks-down, within the hollow core made by 3 big tires stacked on top of each other. The author was called to the scene of death and had hands-on encounter with the body in-situ where scene photographs were taken. Apart from a blood alcohol of 290 mg/100 ml, marked congestion of the face, petechial hemorrhages on the conjunctivae and lung edema and congestion, autopsy findings were unremarkable. Abrasions on shoulders, lateral aspects of arms and posterior aspects of lower legs indicated friction with internal rims of tires while slipping down. There were no other injuries or pathology to account for his death. Death was determined to be due to accidental postural asphyxia secondary to intoxication by alcohol.

© 2010 Elsevier Ltd and Faculty of Forensic and Legal Medicine. All rights reserved.

1. Introduction

Accidental death from positional or postural asphyxia occurs when the victim's position interferes with adequate breathing by causing partial or complete airway obstruction. Being in an inverted or head-down position for an extended period of time suppresses normal respiration and circulation. Mechanical and gravitational forces exert pressure on the diaphragm by the weight of the viscera.¹ In addition, the normal venous return to the heart is impaired, causing brain hypoxia consequent on severe congestion of the brain.^{2,3} It is not necessary that the whole body is inverted to cause death from positional asphyxia, as partial inversion of the torso, hyper-flexion of the neck or face down position during inebriation can also be fatal.^{4,9}

Fatal positional asphyxia is usually accidental and associated with drunkenness or other intoxicants or disabilities. It may also be a factor in a proportion of the rare cases of sudden deaths occurring during restraint by police, prison officers and health care staff.⁵ Even in the presence of the abnormal posture, the diagnosis of positional asphyxia is conditional on excluding other possible significant underlying causes of death.

The importance of this case report is attributed to the availability of scene photographs of the undisturbed scene of death which were extremely helpful in illustrating the cause and manner

of death to the reader. The forensic pathologist (author) was called to the scene, examined the body before it was moved and instructed the forensic photographer to take appropriate pictures. This wouldn't have been possible without the call system adhered to in our department, whereby the forensic medical examiner is summoned to the scenes of all suspicious deaths.

2. Case report

The deceased, a 50-year-old male was known to have a habit of sleeping rough and of consuming alcoholic beverages. The forensic medical examiner was summoned by the police and arrived promptly at the scene which was a garage or a shop for repairing big lorry tires. Big tires were stacked everywhere inside the shop. At the back of the shop there was a partially opened window. Three big identical tires were stacked on their sidewalls, one on top of the other in close proximity to that window (Fig. 1). The 3 tires stand to a height of 105 cm, with a rim diameter of 55 cm, which consecutively make the depth and width of the hollow core made up by their compiled rim cavities. The victim's body was encompassed in a jack-knife position, rear end down, within that tight well-shaped hollow core. His head was at the level of the middle tire and ankles and feet showing above the upper sidewall of the top tire (Fig. 2). The head and neck and torso were severely hyper flexed in restricted jack-knife position, unfavorable for respiration. The author supervised the removal of the tires one at a time photographing each step (Fig. 3). At the bottom, rubber air tubes were

* Tel.: +97 142013550; fax: +97 142171324.

E-mail address: fbenomran@hotmail.com



Fig. 1. The original scene of death showing the victim's jack-knifed body, encompassed buttocks-down within the central hollow of 3 big tires stacked on top of each other.



Fig. 3. The victim's body after lifting the two uppermost tires.

located and urine was collected within its crevices. Wetness was noted on the trousers of the victim which was thought to be due to urine. The ambulance team arrived ahead of the forensic medical examiner, unbuttoned his shirt and applied stick-on ECG leads on his chest. The body was fully rigid by rigor mortis, so when the two upper tires were removed, the unsupported legs stood horizontally defying gravity. The lower limbs were kept semi-flexed at the knees making an almost perfect 90° angles (Fig. 4).

2.1. External examination

The body was that of an Indian male in his fifth decade, of 177 cm in height and weighing 66 kg. The deceased was known of his alcohol drinking and of sleeping rough. He was wearing a shirt and trousers. He had a wrist watch on his left hand and a bracelet on his right. Fixed post-mortem hypostasis involved the back of the lower-back, the buttocks and the thighs. The face and neck were extensively swollen and congested (Fig. 5). Pressure abrasions involved the lateral aspects of the elbows, wrists, forearms, shoulders (Fig. 6) and back of the lower legs (Fig. 7) Localized abrasions on the upper chest indicate pressure exerted by the chin of the hyper flexed head (Fig. 5) Bilateral sub-conjunctival

hemorrhages were also noted. There were no other external injuries on the body which was fully rigid.

2.2. Internal examination

There were multiple hemorrhagic patches on the undersurface of the scalp, particularly on the frontal and parietal areas. The neck structures were intact including the cervical vertebrae, which was confirmed by radiology. The vessels of the brain were markedly congested and the brain was edematous. The lungs were edematous and congested with frothy fluid in the trachea, bronchi and bronchioles. The overall lung weight was 950 gm. The heart was normal from all respects, including its coronaries, valves and great blood vessels. The abdominal viscera were generally congested. The stomach contained a small amount of semi-digested food. The liver was enlarged, weighing 1750 gm and showed fatty change. The urinary bladder was empty. A sample of blood was sent to the toxicology laboratory for analysis and found to contain ethanol in a concentration of 290 mg/100 ml.

3. Discussion

The diagnosis of accidental postural or positional asphyxia depends largely on circumstantial evidence. It is essentially based



Fig. 2. The victim's body in situ after removal of the uppermost tire.



Fig. 4. A side view demonstrating the effect of rigor mortis holding the unsupported legs up against gravity.

Download English Version:

<https://daneshyari.com/en/article/102726>

Download Persian Version:

<https://daneshyari.com/article/102726>

[Daneshyari.com](https://daneshyari.com)