


# Author's Accepted Manuscript

Differences in maintenance of response upon discontinuation across medication treatments in attention-deficit/hyperactivity disorder

Jan Buitelaar, Philip Asherson, Cesar Soutullo, Michael Colla, David H. Adams, Yoko Tanaka, Virginia S. Haynes, Rodrigo Escobar, Himanshu Upadhyaya



[www.elsevier.com/locate/euroneuro](http://www.elsevier.com/locate/euroneuro)

PII: S0924-977X(15)00173-X  
DOI: <http://dx.doi.org/10.1016/j.euroneuro.2015.06.003>  
Reference: NEUPSY11046

To appear in: *European Neuropsychopharmacology*

Cite this article as: Jan Buitelaar, Philip Asherson, Cesar Soutullo, Michael Colla, David H. Adams, Yoko Tanaka, Virginia S. Haynes, Rodrigo Escobar, Himanshu Upadhyaya, Differences in maintenance of response upon discontinuation across medication treatments in attention-deficit/hyperactivity disorder, *European Neuropsychopharmacology*, <http://dx.doi.org/10.1016/j.euroneuro.2015.06.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Differences in maintenance of response upon discontinuation across medication treatments  
in attention-deficit/hyperactivity disorder**

Jan Buitelaar<sup>1</sup>, Philip Asherson<sup>2</sup>, Cesar Soutullo<sup>3</sup>, Michael Colla<sup>4</sup>, David H. Adams<sup>5</sup>, Yoko Tanaka<sup>5</sup>, Virginia S. Haynes<sup>5</sup>, Rodrigo Escobar<sup>5</sup>, Himanshu Upadhyaya<sup>5</sup>

<sup>1</sup>Department of Cognitive Neuroscience, Donders Institute for Brain, Cognition and Behaviour, Radboud University Medical Centre; and Karakter Child and Adolescent Psychiatry University Centre, Nijmegen, Netherlands

<sup>2</sup>Institute of Psychiatry, King's College London, London, UK

<sup>3</sup>Child and Adolescent Psychiatry Unit, Department of Psychiatry and Medical Psychology, University of Navarra Clinic, Pamplona, Spain

<sup>4</sup>Center of Excellence for ADHD and Related Disorders, Charité-Universitätsmedizin Berlin, Berlin, Germany

<sup>5</sup>Lilly Research Laboratories, Eli Lilly and Company, Indianapolis, Indiana, USA

**Corresponding Author:** Himanshu Upadhyaya

Lilly Corporate Center

Indianapolis, IN

Phone: 1-713-592-0912

Email: upadhyayahp@lilly.com

**Abstract**

The attention-deficit/hyperactivity disorder (ADHD) treatment literature has been focused on onset-of-effect and short-term effect size, with little exploration of ADHD symptoms upon medication discontinuation. The objective of this narrative review and analysis was to better understand the relapse of ADHD symptoms upon discontinuation of medication treatment in

Download English Version:

<https://daneshyari.com/en/article/10298621>

Download Persian Version:

<https://daneshyari.com/article/10298621>

[Daneshyari.com](https://daneshyari.com)