## Accepted Manuscript

Extension of the Edge Tracing Algorithm to Disconnected Voronoi Skeletons

Martin Manak, Ivana Kolingerova

 PII:
 S0020-0190(15)00174-X

 DOI:
 http://dx.doi.org/10.1016/j.ipl.2015.09.017

 Reference:
 IPL 5348

To appear in: Information Processing Letters

Received date:16 June 2015Revised date:28 August 2015Accepted date:28 September 2015



Please cite this article in press as: M. Manak, I. Kolingerova, Extension of the Edge Tracing Algorithm to Disconnected Voronoi Skeletons, *Inf. Process. Lett.* (2015), http://dx.doi.org/10.1016/j.ipl.2015.09.017

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- The skeleton of an additively weighted Voronoi diagram can have more components.
- A novel method extends a diagram construction algorithm to discover all components.
- The applicability of the algorithm is extended to general data.

Download English Version:

## https://daneshyari.com/en/article/10331025

Download Persian Version:

https://daneshyari.com/article/10331025

Daneshyari.com