

Three-dimensional bending, torsion and axial compression of the femoropopliteal artery during limb flexion

Jason N. MacTaggart, Nicholas Y. Phillips, Carol S. Lomneth, Iraklis I. Pipinos, Robert Bowen, B. Timothy Baxter, Jason Johanning, G. Matthew Longo, Anastasia S. Desyatova, Michael J. Moulton, Yuris A. Dzenis, Alexey V. Kamenskiy



PII: S0021-9290(14)00280-2
DOI: <http://dx.doi.org/10.1016/j.jbiomech.2014.04.053>
Reference: BM6654

To appear in: *Journal of Biomechanics*

Accepted date: 30 April 2014

Cite this article as: Jason N. MacTaggart, Nicholas Y. Phillips, Carol S. Lomneth, Iraklis I. Pipinos, Robert Bowen, B. Timothy Baxter, Jason Johanning, G. Matthew Longo, Anastasia S. Desyatova, Michael J. Moulton, Yuris A. Dzenis, Alexey V. Kamenskiy, Three-dimensional bending, torsion and axial compression of the femoropopliteal artery during limb flexion, *Journal of Biomechanics*, <http://dx.doi.org/10.1016/j.jbiomech.2014.04.053>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

THREE-DIMENSIONAL BENDING, TORSION AND AXIAL COMPRESSION OF THE FEMOROPOPLITEAL ARTERY DURING LIMB FLEXION

Jason N. MacTaggart^{1*#}, MD; Nicholas Y. Phillips^{1#}, BS; Carol S. Lomneth², PhD; Iraklis I. Pipinos^{3,1,5}, MD, PhD; Robert Bowen⁴, MD; B. Timothy Baxter¹, MD, FACS; Jason Johanning^{3,1}, MD; G. Matthew Longo¹, MD; Anastasia S. Desyatova⁵, PhD; Michael J. Moulton¹, MD, FACS; Yuris A. Dzenis, PhD⁵, Alexey V. Kamenskiy^{1,5*#}, PhD

¹ Dept. of Surgery, University of Nebraska Medical Center, Omaha, NE

² Dept. of Genetics, Cell Biology & Anatomy, University of Nebraska Medical Center, Omaha, NE

³ Dept. of Surgery and VA Research Service, VA Nebraska-Western Iowa Health Care System, Omaha, NE

⁴ Physicians Laboratory Services, Omaha, NE and Assistant Professor of Forensic Science with UNL's Forensic Science Degree Program, Lincoln, NE

⁵ Dept. of Mechanical & Materials Engineering, University of Nebraska-Lincoln, Lincoln, NE

These authors contributed equally to this work.

* Correspondence and Reprints requests to:

Alexey V. Kamenskiy, PhD. and Jason N. MacTaggart, MD

Department of Surgery, 987690 Nebraska Medical Center, Omaha, NE 68198-7690

Tel: (402) 559-5100; E-mail: Alexey.Kamenskiy@unmc.edu and JMacTaggart@unmc.edu

ABSTRACT

High failure rates of femoropopliteal artery reconstruction are commonly attributed to complex 3D arterial deformations that occur with limb movement. The purpose of this study was to

Download English Version:

<https://daneshyari.com/en/article/10431756>

Download Persian Version:

<https://daneshyari.com/article/10431756>

[Daneshyari.com](https://daneshyari.com)