


Accepted Manuscript

A simple formula for the calculation of sample size in pilot studies

Wolfgang Viechtbauer, assistant professor, Luc Smits, associate professor, Daniel Kotz, assistant professor, Luc Budé, associate professor, Mark Spigt, assistant professor, Jan Serroyen, assistant professor, Rik Crutzen, assistant professor



PII: S0895-4356(15)00303-0

DOI: [10.1016/j.jclinepi.2015.04.014](https://doi.org/10.1016/j.jclinepi.2015.04.014)

Reference: JCE 8911

To appear in: *Journal of Clinical Epidemiology*

Received Date: 26 September 2014

Revised Date: 6 April 2015

Accepted Date: 29 April 2015

Please cite this article as: Viechtbauer W, Smits L, Kotz D, Budé L, Spigt M, Serroyen J, Crutzen R, A simple formula for the calculation of sample size in pilot studies, *Journal of Clinical Epidemiology* (2015), doi: 10.1016/j.jclinepi.2015.04.014.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A simple formula for the calculation of sample size in pilot studies

Wolfgang Viechtbauer, assistant professor,¹ Luc Smits, associate professor,² Daniel Kotz, assistant professor,^{3,4} Luc Budé, associate professor,⁵ Mark Spigt, assistant professor,^{3,6} Jan Serroyen, assistant professor,⁷ Rik Crutzen, assistant professor⁸

¹Department of Psychiatry and Psychology, MHeNS School for Mental Health and Neuroscience, Maastricht University, PO Box 616, 6200 Maastricht, The Netherlands; ²Department of Epidemiology, CAPHRI School for Public Health and Primary Care, Maastricht University, PO Box 616, 6200 Maastricht, The Netherlands; ³Department of Family Medicine, CAPHRI School for Public Health and Primary Care, Maastricht University, PO Box 616, 6200 Maastricht, The Netherlands; ⁴Institute of General Practice, Medical Faculty of the Heinrich-Heine-University Düsseldorf, Düsseldorf, Germany; ⁵Department of Midwifery Education & Studies, Research Centre for Midwifery Science, Zuyd University, PO Box 1256, 6201 BG Maastricht, The Netherlands; ⁶Department of Community Medicine, University of Tromsø, General Practice Research Unit, Tromsø, Norway; ⁷Department of Methodology and Statistics, CAPHRI School for Public Health and Primary Care, Maastricht University, PO Box 616, 6200 Maastricht, The Netherlands; ⁸Department of Health Promotion, CAPHRI School for Public Health and Primary Care, Maastricht University, PO Box 616, 6200 Maastricht, The Netherlands.

Correspondence to: Rik Crutzen rik.crutzen@maastrichtuniversity.nl

Download English Version:

<https://daneshyari.com/en/article/10513603>

Download Persian Version:

<https://daneshyari.com/article/10513603>

[Daneshyari.com](https://daneshyari.com)