

Accepted Manuscript


Identifying Intrinsically Disordered Protein Regions Likely to Undergo Binding-Induced Helical Transitions

Karen Glover, Yang Mei, Sangita C. Sinha

PII: S1570-9639(16)30093-0
DOI: doi: [10.1016/j.bbapap.2016.05.005](https://doi.org/10.1016/j.bbapap.2016.05.005)
Reference: BBAPAP 39754

To appear in: *BBA - Proteins and Proteomics*

Received date: 22 December 2015
Revised date: 8 May 2016
Accepted date: 10 May 2016



Please cite this article as: Karen Glover, Yang Mei, Sangita C. Sinha, Identifying Intrinsically Disordered Protein Regions Likely to Undergo Binding-Induced Helical Transitions, *BBA - Proteins and Proteomics* (2016), doi: [10.1016/j.bbapap.2016.05.005](https://doi.org/10.1016/j.bbapap.2016.05.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Identifying Intrinsically Disordered Protein Regions Likely to Undergo Binding-
Induced Helical Transitions**

Karen Glover¹, Yang Mei¹ and Sangita C. Sinha^{1*}

**¹Department of Chemistry and Biochemistry, North Dakota State University, Fargo, ND
58108-6050, USA**

***Corresponding Author:**

Sangita Sinha

Department of Chemistry and Biochemistry,

North Dakota State University,

P.O. Box 6050, Dept. 2710,

Fargo, ND 58102-6050

Phone: 701-231-5658

Fax: 701-231-8324

Sangita.Sinha@ndsu.edu

Download English Version:

<https://daneshyari.com/en/article/10536769>

Download Persian Version:

<https://daneshyari.com/article/10536769>

[Daneshyari.com](https://daneshyari.com)