Accepted Manuscript

Title: Functional modification of agarose: A facile synthesis of a fluorescent agarose-tryptophan based hydrogel



Author: Stalin Kondaveeti Kamalesh Prasad A.K. Siddhanta

 PII:
 S0144-8617(13)00387-1

 DOI:
 http://dx.doi.org/doi:10.1016/j.carbpol.2013.04.034

 Reference:
 CARP 7650

To appear in:

Received date:	11-2-2013
Revised date:	6-3-2013
Accepted date:	11-4-2013

Please cite this article as: Kondaveeti, S., Prasad, K., & Siddhanta*, A. K., Functional modification of agarose: A facile synthesis of a fluorescent agarose-tryptophan based hydrogel, *Carbohydrate Polymers* (2013), http://dx.doi.org/10.1016/j.carbpol.2013.04.034

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Agarose and tryptophan based fluorescent hydrogel material (Ag-Trp_{Est}) was synthesized via carbodiimide chemistry
- Ag-Trp_{Est} was cross linked with genipin to produce blue colored hydrogel.
- Both the Ag-Trp_{Est} and G-Ag-Trp_{Est} hydrogels exhibited comparable gel strengths to those of agarose gel.
- Ag-Trp_{Est} and G-Ag-Trp_{Est} hydrogels were stable across pH 1.2, 7.0 and 12.5 media.

Download English Version:

https://daneshyari.com/en/article/10601820

Download Persian Version:

https://daneshyari.com/article/10601820

Daneshyari.com