

Importance of extended spatial coverage for quantitative susceptibility mapping of iron-rich deep grey matter

Ahmed M. Elkady, Hongfu Sun, Alan H. Wilman

PII: S0730-725X(15)00336-7
DOI: doi: 10.1016/j.mri.2015.12.032
Reference: MRI 8496

To appear in: *Magnetic Resonance Imaging*

Received date: 24 November 2015
Accepted date: 18 December 2015

Please cite this article as: Elkady Ahmed M., Sun Hongfu, Wilman Alan H., Importance of extended spatial coverage for quantitative susceptibility mapping of iron-rich deep grey matter, *Magnetic Resonance Imaging* (2015), doi: 10.1016/j.mri.2015.12.032

Importance of Extended Spatial Coverage for Quantitative Susceptibility Mapping of Iron-Rich Deep Grey Matter

Ahmed M. Elkady[1], Hongfu Sun[1], Alan H. Wilman[1]
[1] *Dept. of Biomedical Engineering, University of Alberta, Edmonton, Alberta, Canada*

Address correspondence to:

Alan H. Wilman

University of Alberta

Department of Biomedical Engineering

1098 RTF

Edmonton, Alberta, Canada T6G 2V2

Phone: (780) 492-0562

Fax: (780) 492-8259

E-Mail: wilman@ualberta.ca