

Quantitative microstructural deficits in chronic phase of stroke with small volume infarcts: A Diffusion Tensor 3-D Tractographic Analysis

Prachi Dubey, Vasileios-Arsenios Lioutas, Rafeeque Bhadelia, Brad Manor, Peter Novak, Magdy Selim, Vera Novak

PII: S0730-725X(15)00340-9
DOI: doi: 10.1016/j.mri.2015.12.036
Reference: MRI 8500

To appear in: *Magnetic Resonance Imaging*

Received date: 4 February 2015
Accepted date: 27 December 2015

Please cite this article as: Dubey Prachi, Lioutas Vasileios-Arsenios, Bhadelia Rafeeque, Manor Brad, Novak Peter, Selim Magdy, Novak Vera, Quantitative microstructural deficits in chronic phase of stroke with small volume infarcts: A Diffusion Tensor 3-D Tractographic Analysis, *Magnetic Resonance Imaging* (2015), doi: 10.1016/j.mri.2015.12.036

Quantitative microstructural deficits in chronic phase of stroke with small volume infarcts: A Diffusion Tensor 3-D Tractographic Analysis

Prachi Dubey, MD[1] Vasileios-Arsenios Lioutas, MD[2], Rafeeque Bhadelia, MD[3], Brad Manor, PhD[3], Peter Novak, MD[5], Magdy Selim, MD[2], Vera Novak, MD, PhD[2]

1. Department of Radiology, Center for Comparative NeuroImaging, University of Massachusetts Medical School, Worcester, MA
2. Department of Neurology, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA
3. Department of Radiology, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA
4. Division of Gerontology, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA
5. Department of Neurology, University of Massachusetts Medical School, Worcester, MA

Corresponding Author:

Prachi Dubey, MD MPH
Assistant Professor, Neuroradiology
Department of Radiology,
Center of Comparative Neuroimaging,
University of Massachusetts Medical School,
55 Lake Avenue, North
Worcester, MA, 01655
Ph: 508-334-3850, Fax: 508-856-1860