Accepted Manuscript



The iron uptake repressor Fep1 in the fission yeast binds Fe-S cluster through conserved cysteines

Hyo-Jin Kim, Kang-Lok Lee, Kyoung-Dong Kim, Jung-Hye Roe

PII: S0006-291X(16)31192-5

DOI: 10.1016/j.bbrc.2016.07.070

Reference: YBBRC 36147

To appear in: *Biochemical and Biophysical Research Communications*

Received Date: 8 July 2016

Accepted Date: 16 July 2016

Please cite this article as: H.-J. Kim, K.-L. Lee, K.-D. Kim, J.-H. Roe, The iron uptake repressor Fep1 in the fission yeast binds Fe-S cluster through conserved cysteines, *Biochemical and Biophysical Research Communications* (2016), doi: 10.1016/j.bbrc.2016.07.070.

The iron uptake repressor Fep1 in the fission yeast binds Fe-S cluster through conserved cysteines

Hyo-Jin Kim, Kang-Lok Lee, Kyoung-Dong Kim[1], Jung-Hye Roe*

School of Biological Sciences and Institute of Microbiology, Seoul National University, Seoul 151-742, Republic of Korea

*Corresponding author. Address: Seoul National University, School of Biological Sciences, 1 Kwanak-ro, Kwanak-gu, Seoul 151-742, Republic of Korea. Fax: +82 2 888 4911.

E-mail address: jhroe@snu.ac.kr (J.-H. Roe).

[1] The current address; The Wistar Institute, Spruce Street, Philadelphia, PA 19104, USA.