

# Accepted Manuscript

Protease-activated receptor 1 and 2 contribute to angiotensin II-induced activation of adventitial fibroblasts from rat aorta

Rui-Qing He, Xiao-Feng Tang, Bao-Li Zhang, Xiao-Dong Li, Mo-Na Hong, Qi-Zhi Chen, Wei-Qing Han, Ping-Jin Gao



PII: S0006-291X(16)30405-3

DOI: [10.1016/j.bbrc.2016.03.094](https://doi.org/10.1016/j.bbrc.2016.03.094)

Reference: YBBRC 35526

To appear in: *Biochemical and Biophysical Research Communications*

Received Date: 9 March 2016

Accepted Date: 19 March 2016

Please cite this article as: R.-Q. He, X.-F. Tang, B.-L. Zhang, X.-D. Li, M.-N. Hong, Q.-Z. Chen, W.-Q. Han, P.-J. Gao, Protease-activated receptor 1 and 2 contribute to angiotensin II-induced activation of adventitial fibroblasts from rat aorta, *Biochemical and Biophysical Research Communications* (2016), doi: 10.1016/j.bbrc.2016.03.094.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# **Protease-activated receptor 1 and 2 contribute to angiotensin II-induced activation of adventitial fibroblasts from rat aorta**

Rui-Qing He<sup>a,c,1</sup>, Xiao-Feng Tang<sup>a,c,1</sup>, Bao-Li Zhang<sup>a,c</sup>, Xiao-Dong Li<sup>a,b,c</sup>, Mo-Na Hong<sup>a,c</sup>, Qi-Zhi Chen<sup>c</sup>, Wei-Qing Han<sup>a,b,c\*</sup>, Ping-Jin Gao<sup>a,b,c\*</sup>

<sup>a</sup>State Key Laboratory of Medical Genetics, Shanghai Key Laboratory of Hypertension and Department of Hypertension, Ruijin Hospital, Shanghai Jiao Tong University School of Medicine, China

<sup>b</sup>Laboratory of Vascular Biology, Institute of Health Sciences, Shanghai Institutes for Biological Sciences, Chinese Academy of Sciences, Shanghai, China

<sup>c</sup>Shanghai Institute of Hypertension, Shanghai, China

\* Corresponding author. Address: Shanghai Institute of Hypertension, Ruijin Hospital, Shanghai Jiao Tong University School of Medicine, 197 Ruijin 2nd Road, Shanghai 200025, China. Tel: +86 21 64370045, Ext 610903. Fax: +86 21 64458970.

E-mail addresses: gaopingjin@sibs.ac.cn (P.-J. Gao), hanweiqing2000@163.com (W.-Q. Han).

<sup>1</sup> These two authors contributed equally to this paper.

Download English Version:

<https://daneshyari.com/en/article/10748669>

Download Persian Version:

<https://daneshyari.com/article/10748669>

[Daneshyari.com](https://daneshyari.com)