

Accepted Manuscript

A soluble form of Siglec-9 provides an antitumor benefit against mammary tumor cells expressing MUC1 in transgenic mice

Yukiko Tomioka, Masami Morimatsu, Ken-ichi Nishijima, Tatsufumi Usui, Sayo Yamamoto, Haruka Suyama, Kinuyo Ozaki, Toshihiro Ito, Etsuro Ono

PII: S0006-291X(14)01061-4
DOI: <http://dx.doi.org/10.1016/j.bbrc.2014.06.009>
Reference: YBBRC 32250

To appear in: *Biochemical and Biophysical Research Communications*

Received Date: 26 May 2014

Please cite this article as: Y. Tomioka, M. Morimatsu, K-i. Nishijima, T. Usui, S. Yamamoto, H. Suyama, K. Ozaki, T. Ito, E. Ono, A soluble form of Siglec-9 provides an antitumor benefit against mammary tumor cells expressing MUC1 in transgenic mice, *Biochemical and Biophysical Research Communications* (2014), doi: <http://dx.doi.org/10.1016/j.bbrc.2014.06.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A soluble form of Siglec-9 provides an antitumor benefit against mammary tumor cells expressing MUC1 in transgenic mice

Yukiko Tomioka^{a, b}, Masami Morimatsu^{a, c, *}, Ken-ichi Nishijima^d, Tatsufumi Usui^b, Sayo Yamamoto^e, Haruka Suyama^e, Kinuyo Ozaki^e, Toshihiro Ito^b, Etsuro Ono^{b, e, f, *}

^a Division of Disease Model Innovation, Institute for Genetic Medicine, Hokkaido University, Sapporo 060-0815, Japan

^b Avian Zoonosis Research Center, Faculty of Agriculture, Tottori University, Tottori 680-8553, Japan

^c Laboratory of Laboratory Animal Science and Medicine, Department of Disease Control, Graduate School of Veterinary Medicine, Hokkaido University, Sapporo 060-0818, Japan

^d Department of Biotechnology, Graduate School of Engineering, Nagoya University, Nagoya 464-8603, Japan

^e Center of Biomedical Research, Research Center for Human Disease Modeling, Graduate School of Medical Sciences, Kyushu University, Fukuoka 812-8582, Japan

^f Department of Biomedicine, Graduate School of Medical Sciences, Kyushu University, Fukuoka 812-8582, Japan

* Corresponding authors: FAX: +81 92 642 6165 (E. Ono), +81 11 706 5107 (M. Morimatsu)

E-mail addresses: ytomi@muses.tottori-u.ac.jp (Y. Tomioka), mmorimat@vetmed.hokudai.ac.jp (M. Morimatsu), nishijma@nubio.nagoya-u.ac.jp (K. Nishijima), usutatsu@muses.tottori-u.ac.jp (T. Usui), ysayo@anim.med.kyushu-u.ac.jp (S. Yamamoto), sharuka@anim.med.kyushu-u.ac.jp (H. Suyama), k-ozaki@anim.med.kyushu-u.ac.jp (K. Ozaki), toshiito@muses.tottori-u.ac.jp (T. Ito), etsuro@anim.med.kyushu-u.ac.jp (E. Ono)

Download English Version:

<https://daneshyari.com/en/article/10754922>

Download Persian Version:

<https://daneshyari.com/article/10754922>

[Daneshyari.com](https://daneshyari.com)