

Tbx3 isofroms are involved in pluripotency maintaining through distinct regulation of Nanog transcriptional activity

Danyun Zhao, Yi Wu, Keshi Chen

PII: S0006-291X(14)00117-X
DOI: http://dx.doi.org/10.1016/j.bbrc.2014.01.093
Reference: YBBRC 31518

To appear in: *Biochemical and Biophysical Research Communications*

Received Date: 14 January 2014

Please cite this article as: D. Zhao, Y. Wu, K. Chen, Tbx3 isofroms are involved in pluripotency maintaining through distinct regulation of Nanog transcriptional activity, *Biochemical and Biophysical Research Communications* (2014), doi: http://dx.doi.org/10.1016/j.bbrc.2014.01.093

Tbx3 isofroms are involved in pluripotency maintaining through distinct regulation of Nanog transcriptional activity

[a]Danyun Zhao, [a]Yi Wu, [a]Keshi Chen*

[a]*Key Laboratory of Regenerative Biology, Guangdong Provincial Key Laboratory of Stem Cell and Regenerative Medicine, South China Institute for Stem Cell Biology and Regenerative Medicine, Guangzhou Institutes of Biomedicine and Health, Chinese Academy of Sciences. Guangzhou, 510530, China*.

*Corresponding authors: Tel: +86-20-32015225, Fax:+86-20-32015225.(K. Chen)

E-mail addresses: chen_keshi@gibh.ac.cn