

Accepted Manuscript

The transition of mouse pluripotent stem cells from the naïve to the primed state requires Fas signaling through 3-*O* sulfated heparan sulfate structures recognized by the HS4C3 antibody

Kazumi Hirano, Toin H. Van Kuppevelt, Shoko Nishihara

PII: S0006-291X(12)02333-9

DOI: <http://dx.doi.org/10.1016/j.bbrc.2012.12.005>

Reference: YBBRC 29639

To appear in: *Biochemical and Biophysical Research Communications*

Received Date: 27 November 2012

Please cite this article as: K. Hirano, T.H. Van Kuppevelt, S. Nishihara, The transition of mouse pluripotent stem cells from the naïve to the primed state requires Fas signaling through 3-*O* sulfated heparan sulfate structures recognized by the HS4C3 antibody, *Biochemical and Biophysical Research Communications* (2012), doi: <http://dx.doi.org/10.1016/j.bbrc.2012.12.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**The transition of mouse pluripotent stem cells from the naïve to the primed state
requires Fas signaling through 3-O sulfated heparan sulfate structures recognized by
the HS4C3 antibody**

Kazumi Hirano^a, Toin H. Van Kuppevelt^b, and Shoko Nishihara^{a,*}

^aLaboratory of Cell Biology, Department of Bioinformatics, Faculty of Engineering, Soka University, 1-236 Tangi-cho, Hachioji, Tokyo 192-8577, Japan, ^bDepartment of Biochemistry, Nijmegen Center for Molecular Life Sciences, Radboud University Nijmegen Medical Centre, 280 P.O. Box 9101 6500 HB Nijmegen, Netherlands

* Address correspondence to: Shoko Nishihara, Ph.D, Laboratory of Cell Biology, Department of Bioinformatics, Faculty of Engineering, Soka University, 1-236 Tangi-cho, Hachioji, Tokyo 192-8577, Japan. Tel: +81-426-91-8140 Fax: +81-426-91-9315 E-mail: shoko@soka.ac.jp

Keywords

Mouse embryonic stem cells

Mouse epiblast stem cells

Download English Version:

<https://daneshyari.com/en/article/10759963>

Download Persian Version:

<https://daneshyari.com/article/10759963>

[Daneshyari.com](https://daneshyari.com)