

Accepted Manuscript

Branched Phospholipids Render Lipid Vesicles More Susceptible to Membrane-active Peptides

Natalie J. Mitchell, Pamela Seaton, Antje Pokorny

PII: S0005-2736(15)00353-3
DOI: doi: [10.1016/j.bbamem.2015.10.014](https://doi.org/10.1016/j.bbamem.2015.10.014)
Reference: BBAMEM 82022

To appear in: *BBA - Biomembranes*

Received date: 30 July 2015
Revised date: 19 October 2015
Accepted date: 20 October 2015



Please cite this article as: Natalie J. Mitchell, Pamela Seaton, Antje Pokorny, Branched Phospholipids Render Lipid Vesicles More Susceptible to Membrane-active Peptides, *BBA - Biomembranes* (2015), doi: [10.1016/j.bbamem.2015.10.014](https://doi.org/10.1016/j.bbamem.2015.10.014)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Branched Phospholipids Render Lipid Vesicles More Susceptible to Membrane-active Peptides.

Natalie J. Mitchell, Pamela Seaton, and Antje Pokorny*

Department of Chemistry and Biochemistry
University of North Carolina Wilmington, Wilmington, NC 28403

*Corresponding author. Address: Department of Chemistry and Biochemistry, University of North Carolina Wilmington, Wilmington, NC 28403, USA, Tel: (910) 962-4231, Fax: (910) 962-3013. E-mail: almeidaa@uncw.edu

Download English Version:

<https://daneshyari.com/en/article/10796537>

Download Persian Version:

<https://daneshyari.com/article/10796537>

[Daneshyari.com](https://daneshyari.com)