

Accepted Manuscript


Urokinase plasminogen activator receptor and its soluble form in common biopsy-proven kidney diseases and in staging of diabetic nephropathy

Chung-Ze Wu, Li-Chien Chang, Yuh-Feng Lin, Yi-Jen Hung, Dee Pei, Nain-Feng Chu, Jin-Shuen Chen

PII: S0009-9120(15)00262-3
DOI: doi: [10.1016/j.clinbiochem.2015.07.001](https://doi.org/10.1016/j.clinbiochem.2015.07.001)
Reference: CLB 9068

To appear in: *Clinical Biochemistry*

Received date: 4 February 2015
Revised date: 9 June 2015
Accepted date: 2 July 2015



Please cite this article as: Wu Chung-Ze, Chang Li-Chien, Lin Yuh-Feng, Hung Yi-Jen, Pei Dee, Chu Nain-Feng, Chen Jin-Shuen, Urokinase plasminogen activator receptor and its soluble form in common biopsy-proven kidney diseases and in staging of diabetic nephropathy, *Clinical Biochemistry* (2015), doi: [10.1016/j.clinbiochem.2015.07.001](https://doi.org/10.1016/j.clinbiochem.2015.07.001)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Urokinase plasminogen activator receptor and its soluble form in common
biopsy-proven kidney diseases and in staging of diabetic nephropathy**

Chung-Ze Wu^{1,2}, Li-Chien Chang³, Yuh-Feng Lin^{1,4}, Yi-Jen Hung⁵, Dee Pei⁶, Nain-Feng
Chu^{7,8}, Jin-Shuen Chen^{*9}

¹Graduate Institute of Clinical Medicine, College of Medicine, Taipei Medical University,
Taipei, Taiwan, R.O.C

²Division of Endocrinology and Metabolism; Department of Internal Medicine, Shuang Ho
Hospital, Taipei Medical University, Taipei, Taiwan, R.O.C

³School of Pharmacy, National Defense Medical Center, Taipei, Taiwan, R.O.C

⁴Division of Nephrology, Department of Internal Medicine, Shuang Ho Hospital, Taipei
Medical University, Taipei, Taiwan, R.O.C

⁵Division of Endocrinology and Metabolism, Department of Internal Medicine, Tri-service
General Hospital, National Defense Medical Center, Taipei, Taiwan, R.O.C

⁶Department of Internal Medicine, Cardinal Tien Hospital, Xindian; Medical School,
Catholic Fu Jen University, Taipei, Taiwan, R.O.C

⁷Superintendent, Taitung Hospital, Ministry of Health and Welfare, Taiwan, R.O.C

⁸School of Public Health, National Defense Medical Center, Taipei, Taiwan, R.O.C

⁹Division of Nephrology, Department of Internal Medicine, Tri-service General Hospital,
National Defense Medical Center, Taipei, Taiwan, R.O.C

Running title: uPAR in kidney diseases

Download English Version:

<https://daneshyari.com/en/article/10817743>

Download Persian Version:

<https://daneshyari.com/article/10817743>

[Daneshyari.com](https://daneshyari.com)