

Improvement of development of equine preantral follicles after six days of *in vitro* culture with ascorbic acid supplementation

R.G. Gomes, L.A. Lisboa, C.B. Silva, M.C. Max, P.C. Marino, R.L. Oliveira, S.M. González, T.R.R. Barreiros, L.S.R. Marinho, M.M. Seneda

PII: S0093-691X(15)00240-X

DOI: 10.1016/j.theriogenology.2015.05.006

Reference: THE 13190

To appear in: *Theriogenology*

Received Date: 13 May 2014

Revised Date: 7 May 2015

Accepted Date: 7 May 2015

Please cite this article as: Gomes RG, Lisboa LA, Silva CB, Max MC, Marino PC, Oliveira RL, González SM, Barreiros TRR, Marinho LSR, Seneda MM, Improvement of development of equine preantral follicles after six days of *in vitro* culture with ascorbic acid supplementation, *Theriogenology* (2015), doi: 10.1016/j.theriogenology.2015.05.006.

Improvement of development of equine preantral follicles after six days of *in vitro* culture with ascorbic acid supplementation

R.G. Gomes[a]; L.A. Lisboa[a]; C.B. Silva[a], M.C. Max[a]; P.C. Marino[a]; R.L. Oliveira[a]; S.M. González[a]; T.R.R. Barreiros[b]; L.S.R. Marinho[a]; M.M. Seneda[a*]

[a] Laboratório de Reprodução Animal, DCV, CCA, UEL, Londrina, Parana, Brazil

[b] Laboratório de Biotecnologia da Reprodução Animal, DVPA, UENP, Bandeirantes, Parana, Brazil

* Corresponding author:

Marcelo Marcondes Seneda

Laboratório de Reprodução Animal, DCV, CCA

Rodovia Celso Garcia Cid, Pr 445, Km 380

State University of Londrina (UEL)

Londrina, PR, Brazil, 86051-990

Phone: +55 43 3371-4064

Fax: +55 43 3371-4063

E-mail: mseneda@uel.br

Original Research

Abstract

The aim of this study was to evaluate the effects of different concentrations of ascorbic acid (25, 50 and 100 µg/mL) in supplemented minimum essential medium (MEM+)