

www.elsevier.com/locate/developmentalbiology

Blastocoel-spanning filopodia in cleavage-stage Xenopus laevis: Potential roles in morphogen distribution and detection

Michael Danilchik, Melissa Williams, Elizabeth Brown

PII: S0012-1606(13)00392-8
DOI: http://dx.doi.org/10.1016/j.ydbio.2013.07.024
Reference: YDBIO6163

To appear in: *Developmental Biology*

Received date: 8 January 2013
Revised date: 23 July 2013
Accepted date: 26 July 2013

Cite this article as: Michael Danilchik, Melissa Williams, Elizabeth Brown, Blastocoel-spanning filopodia in cleavage-stage Xenopus laevis: Potential roles in morphogen distribution and detection, *Developmental Biology,* http://dx.doi.org/10.1016/j.ydbio.2013.07.024

BLASTOCOEL-SPANNING FILOPODIA IN CLEAVAGE-STAGE *XENOPUS LAEVIS*: POTENTIAL ROLES IN MORPHOGEN DISTRIBUTION AND DETECTION

Authors: Michael Danilchik[a,b], Melissa Williams[a], Elizabeth Brown[a]

[a]Department of Integrative Biosciences, SD-IB
Oregon Health & Sciences University
Portland, Oregon, 97239-3097 USA

[b]Correspondence: danilchi@ohsu.edu
Tel: +1-503-494-8568
Fax: +1-503-494-8554