


Accepted Manuscript

Title: Differences between patterns of suicide in East Asia and the West. The importance of sociocultural factors

Author: John Snowdon

PII: S1876-2018(18)30496-9
DOI: <https://doi.org/10.1016/j.ajp.2018.08.019>
Reference: AJP 1524



To appear in:

Received date: 27-5-2018
Revised date: 18-8-2018
Accepted date: 19-8-2018

Please cite this article as: Snowdon J, Differences between patterns of suicide in East Asia and the West. The importance of sociocultural factors, *Asian Journal of Psychiatry* (2018), <https://doi.org/10.1016/j.ajp.2018.08.019>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Differences between patterns of suicide in East Asia and the West. The importance of sociocultural factors

by John Snowdon

John Snowdon: Clinical Professor, Discipline of Psychiatry, Sydney Medical School, Sydney, Australia

Address

John Snowdon (corresponding author)

Jara Unit, Concord Hospital, N.S.W. 2139, Australia. Email address: jsnowdon@mail.usyd.edu.au. Phone: 61 2 97675000, Fax: 61 2 97678951

Highlights

- East Asian suicide rates are higher than Western rates
- East Asia has higher suicide rate gender ratios than the West

Download English Version:

<https://daneshyari.com/en/article/11001411>

Download Persian Version:

<https://daneshyari.com/article/11001411>

[Daneshyari.com](https://daneshyari.com)