

Accepted Manuscript

Community detection based on network communicability distance

Ying Xu

PII: S0378-4371(18)31323-2
DOI: <https://doi.org/10.1016/j.physa.2018.09.191>
Reference: PHYSYA 20252

To appear in: *Physica A*

Received date: 29 January 2018
Revised date: 14 August 2018

Please cite this article as: Y. Xu, Community detection based on network communicability distance, *Physica A* (2018), <https://doi.org/10.1016/j.physa.2018.09.191>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- 1) A new complex network community structure partitioning algorithm is proposed.
- 2) A new understanding of the communicability distance through the concept of vertex vector.
- 3) Reveal the important role of communicability distance in the detection of community structure from another angle.
- 4) This algorithm works well for different networks.

Download English Version:

<https://daneshyari.com/en/article/11001590>

Download Persian Version:

<https://daneshyari.com/article/11001590>

[Daneshyari.com](https://daneshyari.com)