

Accepted Manuscript

Pseudo Low Rank Video Representation

Tingzhao Yu, Lingfeng Wang, Chaoxu Guo, Huxiang Gu,
Shiming Xiang, Chunhong Pan

PII: S0031-3203(18)30273-5
DOI: <https://doi.org/10.1016/j.patcog.2018.07.033>
Reference: PR 6625



To appear in: *Pattern Recognition*

Received date: 26 February 2018
Revised date: 10 July 2018
Accepted date: 31 July 2018

Please cite this article as: Tingzhao Yu, Lingfeng Wang, Chaoxu Guo, Huxiang Gu, Shiming Xiang, Chunhong Pan, Pseudo Low Rank Video Representation, *Pattern Recognition* (2018), doi: <https://doi.org/10.1016/j.patcog.2018.07.033>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- This is the first attempt that exploits eLR AR without any pre-extraction of optical flows, hand-crafted features or demand of high-resolution videos.
- pLRN is the first work that imposes pseudo low rank regularization to networks for getting robust video representation.
- TenneT is an effective data-driven network initialization strategy that can be generalized to other nets.

Download English Version:

<https://daneshyari.com/en/article/11002863>

Download Persian Version:

<https://daneshyari.com/article/11002863>

[Daneshyari.com](https://daneshyari.com)