Accepted Manuscript

Analysis of Compressible Free Shear Layers with Finite-Time Lyapunov Exponents

David R González, Datta V Gaitonde


PII: \$0045-7930(18)30226-3

DOI: 10.1016/j.compfluid.2018.04.030

Reference: CAF 3875

To appear in: Computers and Fluids

Received date: 15 September 2017
Revised date: 12 March 2018
Accepted date: 27 April 2018



Please cite this article as: David R González, Datta V Gaitonde, Analysis of Compressible Free Shear Layers with Finite-Time Lyapunov Exponents, *Computers and Fluids* (2018), doi: 10.1016/j.compfluid.2018.04.030

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights

- Finite-time Lyapunov Exponent technique provides insight into compressible flows.
- FTLE structures capture distinctive turbulent and inviscid features in flow.
- \bullet Attracting structures highlight coherent structures and dilatational consequences.
- High-frequency vortex dynamics & acoustics captured by repelling features.
- FTLE elucidates time-accurate relationship between key compressible phenomena.

Download English Version:

https://daneshyari.com/en/article/11003774

Download Persian Version:

https://daneshyari.com/article/11003774

<u>Daneshyari.com</u>