

Accepted Manuscript

Left frontotemporal effective connectivity during semantic feature judgments in patients with chronic aphasia and age-matched healthy controls

Erin L. Meier, Jeffrey P. Johnson, Swathi Kiran



PII: S0010-9452(18)30256-9

DOI: [10.1016/j.cortex.2018.08.006](https://doi.org/10.1016/j.cortex.2018.08.006)

Reference: CORTEX 2378

To appear in: *Cortex*

Received Date: 29 April 2018

Revised Date: 1 August 2018

Accepted Date: 8 August 2018

Please cite this article as: Meier EL, Johnson JP, Kiran S, Left frontotemporal effective connectivity during semantic feature judgments in patients with chronic aphasia and age-matched healthy controls, *CORTEX* (2018), doi: 10.1016/j.cortex.2018.08.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Left frontotemporal effective connectivity during semantic feature judgments in patients with
chronic aphasia and age-matched healthy controls

Erin L. Meier^{*1}, Jeffrey P. Johnson¹, & Swathi Kiran¹

¹Sargent College of Health & Rehabilitation Sciences, Boston University

*Corresponding author

Erin L. Meier

Aphasia Research Laboratory

Department of Speech, Language, & Hearing Sciences

Sargent College of Health & Rehabilitation Sciences

Boston University

635 Commonwealth Avenue, room 326

Boston, MA 02215

Download English Version:

<https://daneshyari.com/en/article/11004659>

Download Persian Version:

<https://daneshyari.com/article/11004659>

[Daneshyari.com](https://daneshyari.com)