

Accepted Manuscript

Title: Investigating possible causal effects of externalizing behaviors on tobacco initiation: A Mendelian randomization analysis

Authors: Meg E. Fluharty, Hannah Sallis, Marcus R. Munafò



PII: S0376-8716(18)30468-X
DOI: <https://doi.org/10.1016/j.drugalcdep.2018.07.015>
Reference: DAD 7086

To appear in: *Drug and Alcohol Dependence*

Received date: 25-1-2018
Revised date: 7-7-2018
Accepted date: 12-7-2018

Please cite this article as: Fluharty ME, Sallis H, Munafò MR, Investigating possible causal effects of externalizing behaviors on tobacco initiation: A Mendelian randomization analysis, *Drug and Alcohol Dependence* (2018), <https://doi.org/10.1016/j.drugalcdep.2018.07.015>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Investigating possible causal effects of externalizing behaviors on tobacco initiation: a Mendelian randomization analysis*

Meg E. Fluharty^{1,2}, Hannah Sallis^{1,2,3}, Marcus R. Munafò^{1,2}

¹ MRC Integrative Epidemiology Unit (IEU) at the University of Bristol, United Kingdom

² UK Centre for Tobacco and Alcohol Studies, School of Experimental Psychology, University of Bristol, United Kingdom

³ Centre of Academic Mental Health, Population Health Sciences, Bristol Medical School, University of Bristol, United Kingdom

Correspondence:

Meg Fluharty

School of Experimental Psychology, University of Bristol

12a Priory Road, Bristol BS8 1TU, United Kingdom

E-mail: meg.fluharty@bristol.ac.uk

Highlights

- There's some evidence genetic risk of ADHD is causally related to tobacco initiation.
- There's no clear evidence genetic risk of childhood aggression is causally with tobacco use.
- Multiple Mendelian randomization methods were used to strengthen causal inference

Download English Version:

<https://daneshyari.com/en/article/11005485>

Download Persian Version:

<https://daneshyari.com/article/11005485>

[Daneshyari.com](https://daneshyari.com)