

Accepted Manuscript

Bismuth-aluminum two-dimensional 2×2 compound and its ordered 9×9 domains on Si(111) surface

N.V. Denisov , A.Yu. Tupchaya , A.N. Mihalyuk , L.V. Bondarenko ,
O.A. Utas , S.G. Azatyan , A.V. Zotov , A.A. Saranin

PII: S0039-6028(18)30504-1
DOI: <https://doi.org/10.1016/j.susc.2018.08.008>
Reference: SUSC 21308



To appear in: *Surface Science*

Received date: 13 June 2018
Revised date: 4 August 2018
Accepted date: 12 August 2018

Please cite this article as: N.V. Denisov , A.Yu. Tupchaya , A.N. Mihalyuk , L.V. Bondarenko , O.A. Utas , S.G. Azatyan , A.V. Zotov , A.A. Saranin , Bismuth-aluminum two-dimensional 2×2 compound and its ordered 9×9 domains on Si(111) surface, *Surface Science* (2018), doi: <https://doi.org/10.1016/j.susc.2018.08.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The only 2×2 structure can cover the entire surface in the (Bi,Al)/Si(111) system.
- The 2×2 can be formed in the wide range of temperature, from RT to 500°C, depending on the initial surface.
- The 2×2 can cover the surface with small-sized domains, ordered domains and large-sized domains, depending on the way of formation.
- A 500°C annealing orders the 2×2 domains to the 9×9 superstructure.
- Atomic model of the 2×2 has been discovered using *ab-initio* random structure searching method; the model has the only symmetry, mirror σ_v symmetry.

Download English Version:

<https://daneshyari.com/en/article/11006615>

Download Persian Version:

<https://daneshyari.com/article/11006615>

[Daneshyari.com](https://daneshyari.com)