Accepted Manuscript

Effect of the hydroxyapatite particle size on the properties of sprayed coating

Yangyang Su, Kezhi Li, Leilei Zhang, Changcong Wang, Yunpeng Zhang

PII: S0257-8972(18)30879-X

DOI: doi:10.1016/j.surfcoat.2018.08.052

Reference: SCT 23721

To appear in: Surface & Coatings Technology

Received date: 18 June 2018
Revised date: 31 July 2018
Accepted date: 17 August 2018

Please cite this article as: Yangyang Su, Kezhi Li, Leilei Zhang, Changcong Wang, Yunpeng Zhang, Effect of the hydroxyapatite particle size on the properties of sprayed coating. Sct (2018), doi:10.1016/j.surfcoat.2018.08.052

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Effect of the hydroxyapatite particle size on the properties of sprayed coating

Yangyang Su, Kezhi Li*, Leilei Zhang*, Changcong Wang, Yunpeng Zhang

State Key Laboratory of Solidification Processing, Northwestern Polytechnical

University, Xi'an 710072, PR China

Yangyang Su: suyangyang@mail.nwpu.edu.cn

*Kezhi Li: likezhi@nwpu.edu.cn (K. -Z. Li) Tel./Fax: +86 29 8849 5764

*Leilei Zhang: zhangleilei@nwpu.edu.cn

Changcong Wang: nwpuwcc@163.com

Yunpeng Zhang: zyp123@mail.nwpu.edu.cn

Download English Version:

https://daneshyari.com/en/article/11007101

Download Persian Version:

https://daneshyari.com/article/11007101

<u>Daneshyari.com</u>