

Accepted Manuscript

Influence of anti-solvents on CH₃NH₃PbI₃ films surface morphology for fabricating efficient and stable inverted planar perovskite solar cells

Md. Emrul Kayesh, Kiyoto Matsuishi, Towhid H. Chowdhury, Ryuji Kaneko, Jae-Joon Lee, Takeshi Noda, Ashraful Islam



PII: S0040-6090(18)30540-6
DOI: doi:[10.1016/j.tsf.2018.08.015](https://doi.org/10.1016/j.tsf.2018.08.015)
Reference: TSF 36825

To appear in: *Thin Solid Films*

Received date: 20 March 2018

Revised date: 9 August 2018

Accepted date: 9 August 2018

Please cite this article as: Md. Emrul Kayesh, Kiyoto Matsuishi, Towhid H. Chowdhury, Ryuji Kaneko, Jae-Joon Lee, Takeshi Noda, Ashraful Islam , Influence of anti-solvents on CH₃NH₃PbI₃ films surface morphology for fabricating efficient and stable inverted planar perovskite solar cells. Tsf (2018), doi:[10.1016/j.tsf.2018.08.015](https://doi.org/10.1016/j.tsf.2018.08.015)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Influence of Anti-Solvents on $\text{CH}_3\text{NH}_3\text{PbI}_3$ Films Surface Morphology for Fabricating Efficient and Stable Inverted Planar Perovskite Solar Cells

Md. Emrul Kayesh^{1,2}, Kiyoto Matsuishi^{3,*} kiyoto@bk.tsukuba.ac.jp, Towhid H.Chowdhury^{1,5}, Ryuji Kaneko^{1,4}, Jae-Joon Lee⁵, Takeshi Noda¹, Ashraful Islam^{1,*} ISLAM.Ashraful@nims.go.jp

¹Photovoltaic Materials Group, Center for Green Research on Energy and Environmental Materials, National Institute for Materials Science (NIMS), 1-2-1 Sengen, Tsukuba, Ibaraki 305-0047, Japan

²Graduate School of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8573, Japan

³Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8573, Japan

⁴College of Science and Technology, Nihon University, 1-8-14 Kanda Surugadai, Chiyoda-ku, Tokyo, 101-8308, Japan

⁵Department of Energy & Materials Engineering & Research Center for Photoenergy Harvesting and Conversion Technology, Dongguk University, Seoul 04620, Republic of Korea

*Corresponding authors.

ABSTRACT: The stability of perovskite solar cells (PSCs) are critically related to the perovskite crystal morphology and film quality, hence controlling the perovskite film formation is one of the key concerns. In this study, we have used four anti-solvents- toluene,

Download English Version:

<https://daneshyari.com/en/article/11007115>

Download Persian Version:

<https://daneshyari.com/article/11007115>

[Daneshyari.com](https://daneshyari.com)